WATER WELL REPORT

STATE OF OREGON

APP G707 State Permit No.

State Well No.

9/4W-3N/1) G604

(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level 5 6 2 2	Y 3Y
Name Charles S.and Golda V.Bowman	Was a pump test made? ⊠ Yes ☐ No If yes, by whom XXXXXXX	
Address Rt.1, Box 119	Yield: gal./min. with ft. drawdown after	hrs.
Independence, Oregon	" 1000 " "	"
(2) LOCATION OF WELL:	<u>" 500 " _ "</u>	"
County Polk Owner's number, if any—	Bailer test gal./min. with ft. drawdown after	hrs.
3 W 14 \$5 W 14 Section 3 T. 9S R. 4 W W.M.	Artesian flow g.p.m. Date	en, e enema
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made? Yes	□ No
From S.W.corner of F.M. Thorp D.L.C.	(12) WELL LOG: Diameter of well 12 in	nches.
#40 , N.35 E., 2094 ft.	Depth drilled 97 ft. Depth of completed well 97	et
		e and
	Formation: Describe by color, character, size of material and structure show thickness of aquifers and the kind and nature of the material in stratum penetrated, with at least one entry for each change of form	i each
7>		го
MYDE OF WORK (-LL).	Top soil-brown 0	3
TYPE OF WORK (check):	Clay-blue 3	30
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐ If abandonment, describe material and procedure in Item 11.	Sand & gravel-grey 30	35
	Water bearing gravel 35	61
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Clay-grey 61	97
nestic Industrial Municipal Rotary Driven		<i>37</i>
Irrigation X Test Well Cother Dug Bored		
(6) CASING INSTALLED: Threaded □ Welded 🛛		
12 "Diam, from 6t. to ft. Gage		
"Diam. fromft. toft. Gage		
"Diam. from ft. to ft. Gage		
(7) PERFORATIONS: Perforated? ★ Yes □ No		
Type of perforator used Mills Perferator		
SIZE of perforations 3/8 in. by 3 in.		
492 perforations from 30 ft. to 61 ft.		
perforations from ft. to ft.		
perforations from	This well was originally drilled by	an-
perforations from ft. to ft.	other briller several years ago and	
perforations from ft. to ft.	drilled it deeper in 1957, from 66 :	
SCREENS: Well screen installed	to 97 ft. so we could cut new perfer	rati
anufacturer's Name		
TypeModel No		
Diam Slot size Set from ft. to ft.		
Diam Slot size ft, to ft,	Work started July 18 1957. Completed Aug.1	1957
CONSTRUCTION:	(13) PUMP:	
Was well gravel packed? X Yes ☐ No Size of gravel: #	Manufacturer's Name Jacuzzi	
Gravel placed fromOft. toSOft.	(The sold no	
Was a surface seal provided? ☐ Yes 🖺 No To what depth? ft.	Type: HP. 13	
Material used in seal—	Well Driller's Statement:	
Did any strata contain unusable water? Yes X No	This well was drilled under my jurisdiction and this repo	ort is
Type of water? Depth of strata	true to the best of my knowledge and belief.	
Method of sealing strata off	NAME R.Stadeli & Sons	
(10) WATER LEVELS:	(Person, firm, or corporation) (Type or print)	
Static level 300 ft. below land surface Date	Address Rte.3, Box 177A, Silverton, Oregon	n
Artesian pressure lbs. per square inch Date	Daillowig would normhou	
The state of the s	Driller's well number	*********
Log Accepted by:	[Signed] Tadeli	
[Signed] Charles Py Date 16, 1958	(Well Driller)	57