

16

RECEIVED

STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

POIR 375

NOV - 4 1991

85/4W-18bb 29823

(START CARD) #

(1) OWNER: Name Wallamette Polton (Miles Inc./Halter Street) Address P.O. box 447 City Maxwatha State Oregon Zip 97361

(9) LOCATION OF WELL by legal description: Township 8 North Range 4 East Section 18 NW 1/4 NW 1/4 Street Address of Well (or nearest address) 3395 S. Pacific Hwy Independence, Ore 97351

(2) TYPE OF WORK: [X] New Well [] Deepen [] Recondition [] Abandon

(3) DRILL METHOD [X] Rotary Air [] Rotary Mud [] Cable [] Other

(4) PROPOSED USE: [] Domestic [] Community [] Industrial [X] Irrigation [] Thermal [] Injection [] Other

(5) BORE HOLE CONSTRUCTION: Special Construction approval Yes No Depth of Completed Well 95 ft. Explosives used [] [] Type Amount

Table with columns: HOLE Diameter, From, To, Material, SEAL From, To, Amount sacks or pounds. Includes handwritten entries for 12, 8, 18, 95 diameters and bentonite material.

How was seal placed: Method [] A [] B [] C [] D [] E [] Other poured dry Backfill placed from ft. to ft. Material Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Includes handwritten entries for 8 inch casing.

Final location of shoe(s)

(7) PERFORATIONS/SCREENS: [X] Perforations Method milk knife [] Screens Type Material

Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner. Includes handwritten entries for 63 to 78 inch range.

(8) WELL TESTS: Minimum testing time is 1 hour [] Pump [X] Bailer [] Air [] Flowing Artesian Yield gal/min Drawdown Drill stem at Time

Temperature of water 52 Depth Artesian Flow Found Was a water analysis done? [] Yes By whom Did any strata contain water not suitable for intended use? [] Too little [] Salty [] Muddy [] Odor [] Colored [] Other

(10) STATIC WATER LEVEL: 30 ft. below land surface. Date 10/25/91 Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES: Depth at which water was first found 57'

Table with columns: From, To, Estimated Flow Rate, SWL. Includes handwritten entry for 57' to 90' depth with 36 gpm flow rate.

(12) WELL LOG: Ground elevation

Table with columns: Material, From, To, SWL. Includes handwritten entries for Top soil, brown clay, Gray clay w/ medium gravel, Sandy blue clay, Cement gravel in gray clay, Gray clay, blue gray clay w/ fine gravel + fine sand, sandy blue-gray clay.

Date started 10/8/91 Completed 10/26/91

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Signed Dickerson Well Drilling, Inc. WWC Number Date

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. Signed William Blair WWC Number 1571 Date 10/26/91