NOTICE TO WATER WELL CONTRACTOR The original and first copy
of this report are to be
filed with the
STATE ENGINEER, SALEM 10, OREGON
within 30 days from the date
of well completion.

41 4 **23**

State Well No. State Permit No. (11) WELL TESTS: Drawdown is amount water level is lowered below static level

지수! 한 기		State Permit No			
(1) UWNER:	graph !	(11) WELL TESTS. Drawdown is amount	t water low	0] (-	
Name Granold Collins		Was a pump test made? Yes No If yes, by wh	level	ei is	
Address Route 1, Box 38		777-77			
Independence, Oregon		rield: gal./min. with ft. drawdo	wn after	hrs.	
(0) LOCATION OF THE		" " " "			
(2) LOCATION OF WELL:		Pollon toot		: 12	
County Driller's well number		Artesian flow gal./min. with ft. drawdo	own after	hrs.	
	W.M.	Temperature of water 33 Was chemical analysis	· · · · ·		
Bearing and distance from section or subdivision corner		- And a citemical analysis	made? 🔲	Yes 🔲 No	
	·	(12) WELL LOG: Diameter of well below	caging 1	2"	
		Depth drilled Depth of completed	11	ZOI	
	ا عقب	Formation: Describe by color, character, size of maters show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each	ial and stru	oture and	
V	<u></u>	stratum penetrated, with at least one entry for each	the mater	ial in each	
	77 T-11-4	MATERIAL		1	
(3) TYPE OF WORK (check):	Ì		FROM	то	
17 vv-11 X6			<u> </u>		
New Well M Deepening ☐ Reconditioning ☐ Aband. If abandonment, describe material and procedure in Item 12.	ion []	Brown, Sandy clay	0	5_	
		Brown Clay	5	10	
ROPOSED USE (check): (5) TYPE OF WE	ELL:	Sand & Gravel, Medium	10		
Domestic Industrial Municipal Rotary Driven		Water bearing			
Irrigation To Tost Wall II Other Cable La Jetted					
Dug Bored			<u> </u>		
(6) CASING INSTALLED: Threaded Welded					
12" Diam. fromft. toft. Gage	- 1				
Deam from 5 It to ft Cage					
Diam from 5 1 t. to ft. Gage 12 "Diam from 1 above to 29 ft. Gage 4	·····				
(7) PERFORATIONS: Perforated? Xyes No					
Type of perforator used Outting Torch	- 1				
Size of perforations in. by 8 in.					
perforations fromft. to	ft_				
60 perforations from 19 ft. to 29	9 ft.				
perforations from ft. to					
perforations from ft. to				- 1	
perforations from ft. to					
8 SCREENS: Well screen installed Yes No	ł				
Manufacturer's Name					
Type Model No.		1-10			
Diam. Slot size Set from ft. to		Work storted Nov. 26 1962. pmpleted Nov.	28	1962	
Slot size Set from ft. to	ft	Date well drilling machine moved of well Nov.			
(9) CONSTRUCTION:				19 62	
	Ī	(13) PUMP:			
Well seal—Material used in seal		Manufacturer's Name			
Depth of seal ft. Was a packer used?		Туре: Н.1	D		
Diameter of well bore to bottom of sealin					
Were any loose strata cemented off? Yes No Depth	-Alexandratural 2	Water Well Contractor's Certation:			
Was a drive shoe used? ☐ Yes ☐ No	ł	This well was drilled unday jurisdiction an	d this rea	ort is	
Was well gravel packed? XYes \(\subseteq \) No Size of gravel: No. 2 ro	brund	true to the best of my knowled and belief.	-1		
Gravel placed fromtopft. to10_ft.		NAME Art Clinton W Drilling Co.	,		
Did any strata contain unusable water? Yes No		(Person, firm or poration) (Type or print)			
Type of water? Depth of strata		Address Route 1, Boy. Independence	, Orego	on	
Method of sealing strata off	i			· -	
(10) WATED TEXES		Drilling Machine Operator Conse No. 34	*******		
(10) WATER LEVELS:		[Signed] and Centon			
Static level 12 ft. below land surface Date Nov. 26	-62	[Signed] Water Well Contractor)		*********	
Artesian pressure lbs. per square inch Date		Contractor's License No. 14 Date Dec.	1	62	
		7	- 17		

(USE ADDITIONAL SHEETS IF NECESSARY)