STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

FEB - 6-1992

(START ČARD) #

| (1) OWNER: Well Number | (9) LOCATION OF WELL by legal description: County OLL Latitude Longitude Township S Nor S Range 4 W E or W. WM. Section 28 S W WM. Tax Lot Lot Block Subdivision Street Address of Well (or nearest address) LN SOUTH WELL FIND BEHIND 616S ORVALLS RD. LND. ORE. (10) STATIC WATER LEVEL: S of the below land surface. Artesian pressure lb. per square inch. Date (11) WATER BEARING ZONES: |
|---|--|
| Thermal Injection Other MUNICIPAL | = 55' |
| (5) BORE HOLE CONSTRUCTION: | Depth at which water was first found |
| Special Construction approval Yes No Depth of Completed Well 60 ft. | From To Estimated Flow Rate SWL |
| Explosives used Yes No Type Amount | From To Estimated Flow Rate SWL SS' 73' 407 60M SS' |
| HOLE SEAL Amount | 55 /3 47078011 55 |
| Diameter From To Material From To sacks or pounds | |
| 12'2" 0' 76 CEMBAY 6' 26 165 MCKS | |
| 3° 76 80° | |
| | (12) WELL LOG: |
| | Ground elevation |
| How was seal placed: Method A B B C D B | |
| Other | Material From To SWL |
| Backfill placed from ft. to ft. Material | |
| Gravel placed from ft. to ft. Size of gravel | - BROWN CLAY 5' 15' |
| (6) CASING/LINER: | - GRAY CLAY - DENSE 15' 19' |
| Diameter From To Gauge Steel Plastic Welded Threaded | - BROWN SILTY CLAY , 19 34 |
| Casing: 8 12' 80' 1250" | - BROWN SANDY CLAY W/ |
| | SOME GRAVEL 134 47 |
| | - SM-MEDIUM AND SOME |
| | LARGE GRAVEL W/BROWN |
| Liner: | FINE COARSE SAND - |
| | LOOSE - W. BEARING 47 73 50" |
| Final location of shoe(s) | - BLUE CLAY - DENSE 73' 80' |
| (7) PERFORATIONS/SCREENS: | |
| Perforations Method TORCH WILLS KNIFE | - Great Control of the Control of th |
| Screens Type Material | |
| | , |
| Slot Tele/pipe From To size Sumber Diameter size Casing Liner | |
| <5' 72' 1/4" /3/4"-7AR | |
| | |
| 74' 77' 6"x 76"-12 | · · |
| | · |
| | |
| | |
| (8) WELL TESTS: Minimum testing time is 1 hour | Date started DEC, 19, 1997 Completed JAN. 8, 1992 |
| Flowing | (unbonded) Water Well Constructor Certification: |
| Pump Bailer Air Artesian | I certify that the work I performed on the construction, alteration, or abandon- |
| Yield gal/min Drawdown Drill stem at Time | ment of this well is in compliance with Oregon well construction standards. Materials |
| 40+69M 1' 1 hr. | used and information reported above are true to my best knowledge and belief. |
| 7070411 | - WWC Number |
| | |
| | organice |
| | (bonded) Water Well Constructor Certification: |
| Temperature of Water Depth Artesian Flow Found | I accept responsibility for the construction, alteration, or abandonment work per- formed on this well during the construction dates reported above. All work performed |
| Was a water analysis done? | during this time is in compliance with Oregon well construction standards. This report |
| Did any strata contain water not suitable for intended use? Too little | is trans to the best of my knowledge and belief. |
| Salty Muddy Odor Colored Other | wwc Number |
| Depth of strata: | Signed M. Chall Walded Date 1-2+-92 |