## **POLK 54272**

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

WELL I.D. LABEL# L	131606
START CARD #	1042219
ORIGINAL LOG#	

(1) LAND OWNER Owner Well I.D. 5981	POLK 5427:
First Name Last Name Company ACMPC Oregon 2 LLC	(9) LOCATION OF WELL (legal description)
Address P.O. Box 717	County POLK Twp 8 S N/S Range 4 W E/W WM
City Jefferson State OR Zip 97352	Sec 11 SW 1/4 of the NW 1/4 Tax Lot 103
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number         Lot           Lat         " or DMS or DD
Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat DMS or DD
(2a) PRE-ALTERATION	Long " or DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address
	5605 Halls Ferry Rd Independence, OR
Material From To Amt sacks/lbs Seal:	
(3) DRILL METHOD	(10) STATIC WATER LEVEL
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft)
Reverse Rotary Other	Existing Well / Pre-Alteration
(4) PROPOSED USE	Completed Well 05-08-2019 8  Flowing Artesian? Dry Hole?
(4) PROPOSED USE Domestic Irrigation Community  Industrial/ Commercial Livestock Dewatering	
Thermal Injection Other	WATER BEARING ZONES Depth water was first found 22
	SWL Date From To Est Flow SWL(psi) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)	05-08-2019 22 <b>RECEIVE</b> 500 8
Depth of Completed Well 60 ft.	
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs	MAY 2 0 2019
16 0 60 Bentonite 0 18 28 S	1
Calculated 14	OWDD
	(11) WELL LOG Ground Flourties
Calculated	Ground Elevation
How was seal placed: Method A B C D E	Material From To Topsoil 0 2
Backfill placed from ft. to ft. Material	Brown clay 2 10
Filter pack from ft. to ft. Material Size	Cemented gravel 10 24
Explosives used: Yes Type Amount	Sand & gravel 24 27
	Cemented gravel 27 40
(5a) ABANDONMENT USING UNHYDRATED BENTONITE Proposed Amount Pounds Actual Amount Pounds	Gravel cemented         40         47           Dark grey claystone         47         60
Total / Indah	San grey staystone
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	
○ 12 × 2 60 250 ○ × 1181	
	TONES DRILLING CO. DIG
	JONES DRILLING CO., INC.
	29400 SANTIAM HWY.
	LEBANON, OR 97355
Shoe Inside Outside Other Location of shoe(s)	541-367-2560 541-451-2686
Temp casing X Yes Dia 16 From 0 To 60	1-800-915-8388
(7) PERFORATIONS/SCREENS Perforations Method Torch cut	1-000-71,1-0,300
Screens Type Material	Data Starta 405 06 2010
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	Date Started 05-06-2019 Completed 05-08-2019
creen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification
Perf         Casing         20         60         .438         1         800	I certify that the work I performed on the construction, deepening, alteration, or
	abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
	License Number 1411 Date 511619
(8) WELL TESTS: Minimum testing time is 1 hour	Van C
Pump Bailer ( ) Air Flowing Artesian	Signed
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification
500 60 1	I accept responsibility for the construction, deepening, alteration, or abandonment
	work performed on this well during the construction dates reported above. All work
	performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
Temperature 58 °F Lab analysis Yes By Water quality concerns? Yes (describe below) TDS amount 170	License Number 1684 Pate 511(a) 19
Water quality concerns? Yes (describe below) TDS amount 170 From To Description Amount Units	Diceibe Hulloci 1004
	Signed
	Contact Info (ortional) in esdrilling@homail.com
	!