## NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

Gravel placed from .....

## WATER WELL REPORT

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 97310 n (Please type or print) within 30 days from the date (Do not write above this line)

of well completion.	SHER State Fermit No.
(1) OWNER!	(11) LOCATION OF WELL:
Name fact been Name	County Driller's well number
Address Rians Jet One,	14 14 Section 17 T. 2 N R. 16 E W.M.
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐	
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing
Rotary Driven Domestic Industrial Municipal Domestic	Depth drilled 3 45 ft. Depth of completed well 3 45 ft.
Dug   Bored   Irrigation   Test Well   Other	Formation: Describe color, texture, grain size and structure of materials;
CASING INSTALLED: Threaded   Welded	and show thickness and nature of each stratum and aquifer penetrated,
6 "Diam from 6 ft to 20 ft Gage 250	with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.
" Diam. from	MATERIAL From To SWL
" Diam, from ft. to ft. Gage	Trans 10 4 6
	Black Basalt 4 43 0
PERFORATIONS: Perforated? ☐ Yes ☐ No.	Drack Daspet 43 60 0
Type of perforator used	12 6 Bal 11 60 190 30
Size of perforations in, by in.	Krem drang Stano 190 205 40
perforations from ft. to ft.	Black Balalt - 205 335 40
perforations from ft. to ft.	Lally Sate Stone 35 7 40
perforations from ft. to ft.	9 Water 2 21 375 338 40
perforations from ft. to ft.	Black Bolal 338 34040
perforations from ft. to ft.	Green Snort Stone 30
(7) SCREENS: Well screen installed?   Yes   4-No	9 Water 2, 340 342 30
	Black Basast 342 34530
Manufacturer's Name Model No	
Diam. Slot size Set from ft, to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WATER LEVEL: Completed well.	
tic level 36 ft. below land surface Date 1-4-69	
Artesian pressure lbs. per square inch Date /-4-61	
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	
lowered below static level	
Was a pump test made? ☐ Yes ☑ No If yes, by whom?	Work started /2 - /8 196 #Completed / - 4/ 196
d: gal./min. with ft. drawdown after hrs.	Date well drilling machine moved off of well / - 5 196
" " " "	
n n n n	Drilling Machine Operator's Certification:  This well was constructed under my direct supervision. Mate-
Bailer test 100 gal./min. with 1 ft. drawdown after hrs.	rials used and information reported above are true to my best
Artesian flow May g.p.m. Date 1-4 68	knowledge and belief.
Temperature of water 4 5 Was a chemical analysis made? ☐ Yes ☑ No	[Signed]. (Drilling Machine Operator) 196.
	11 70
(10) CONSTRUCTION: Well seal—Material used Cemen	Drilling Machine Operator's License No
Depth of seal 20 ft.	Water Well Contractor's Certification:
Diameter of well bore to bottom of seal in.	This well was drilled under my jurisdiction and this report is
Were any loose strata cemented off? ☐ Yes ☐ No Depth	true to the best of my knowledge and belief.
Was a drive shoe used? ☐ Yes ☐ No	NAME (Person, firm or corporation) (Type or print)
Did any strata contain unusable water?   Yes A	675 Charter Pol
Type of water? depth of strata	Address
Method of sealing strata off	[Signed]
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	[Signed] (Water Well Contractor)
Cravel placed from ft to ft.	Contractor's License No. 283 Date 1-6, 1968