Amended 11/26/2025

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

SHER 50479

10/28/2025

WELL I.D. LABEL# L 85685
START CARD # 1078558
ORIGINAL LOG #

(1) LAND OWNER

Owner Well I.D.
First Name JIM Last Name TIBBETS
Company TIBBETS WELL DRILLING
Address 81858 WINSLOW RD
City DUFUR State OR Zip 97021

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Conversion ☐ Alteration (complete 2a & 10) ☐ Abandonment(complete 5a)

(2a) PRE-ALTERATION

	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
Casing:									

	Material	From	To	Amt	sacks/lbs
Seal:					

(3) DRILL METHOD

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger ☐ Cable Mud
☐ Reverse Rotary ☐ Other

(4) PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Community
☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering
☐ Thermal ☐ Injection ☐ Other

(5) BORE HOLE CONSTRUCTION

Special Standard ☐ (Attach copy)
Depth of Completed Well 270.00 ft.

BORE HOLE

Dia	From	To
10	0	72
6	72	270

SEAL

Material	From	To	Amt	sacks/lbs
Bentonite	0	20	14	S
		Calculated	11	
Cement	20	72	20	S
		Calculated	20	

Seal placement method: ☐ A ☐ B ☐ C ☐ D ☐ E ☒ Other: PUMPED BOTTOM UP,
Backfill placed from ft. to ft. Material
Filter pack from ft. to ft. Material Size
Explosives used: ☐ Type Amount
Seal Placement Begin Date 10/4/2025 Begin Time 10 07

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount Actual Amount

(6) CASING/LINER

C/L	Dia	+	From	To	Gauge	Mat. Type	Wld	Thrd	Shoe	Shoe Location
C	6	X	1.5	72	0.250	ST	☒			

Temp casing ☐ Yes Dia From + To

(7) PERFORATIONS/SCREENS

Perforations Method
Screens Type Material

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ Pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Type of Test	Yield (gal/min)	Drawdown	Drill Stem/ Pump Depth	Duration (hr)
Air	150		269	1

Temperature 55 °F Lab analysis ☐ Yes By
Water quality concerns? ☐ Yes (describe below) TDS amount 76 ppm

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County SHERMAN Twp 2.00 N N/S Range 16.00 E E/W WM
Sec 1 SE 1/4 of the NE 1/4 Tax Lot 102
Tax Map Number Lot
Lat ° ' " or 45.68813565 DMS or DD
Long ° ' " or -120.75537639 DMS or DD
◉ Street address of well ○ Nearest address
660 W BIGGS RUFUS OR 97050

(10) STATIC WATER LEVEL

	Date	SWL(psi)	+	SWL(ft)
Existing Well / Pre-Alteration				
Completed Well	10/7/2025			40

Flowing Artesian? ☐ Dry Hole? ☐

WATER BEARING ZONES Depth water was first found 250.00

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)
10/7/2025	250	265	150			40

(11) WELL LOG

Ground Elevation 202.95 FT

Material	From	To
sand	0	32
grey brown basalt	32	63
grey basalt	63	250
grey brown basalt broken, tan clay,	250	265
grey basalt	265	270

Construction
Begin Date 9/10/2025 Begin Time 10 10 End Date 10/7/2025

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number Date

Signed

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1782 Date 10/28/2025

Signed JIM TIBBETS (E-filed)

Drilling Company: tibbets well drilling

ORIGINAL - WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version:
New exempt use wells must be submitted with a map and recording fee.

WATER SUPPLY WELL REPORT - continuation page

SHER 50479

10/28/2025

WELL I.D. LABEL# L 85685
START CARD # 1078558
ORIGINAL LOG #

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

Material	From	To	Amt	sacks/lbs

(5) BORE HOLE CONSTRUCTION

BORE HOLE

Dia	From	To

SEAL

Material	From	To	Amt	sacks/lbs
		Calculated		
		Calculated		
		Calculated		
		Calculated		

FILTER PACK

From	To	Material	Size

(6) CASING/LINER

C/L	Dia	+	From	To	Gauge	Mat. Type	Wld	Thrd	Shoe	Shoe Location

(7) PERFORATIONS/SCREENS

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ Pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Type of Test	Yield (gal/min)	Drawdown	Drill Stem/ Pump Depth	Duration (hr)

Water Quality Concerns

From	To	Description	Amount	Units

(10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)

(11) WELL LOG

Material	From	To

Name of person(s) who assisted with construction and Trainee License # / Helper #

Assistant Name	Type	#

Comments/Remarks

driller helper Trever Tibbets

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

SHER 50479

10/28/2025

Map of Hole

STATE OF OREGON
WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department
725 Summer St NE, Salem OR 97301
(503)986-0900

LOCATION OF WELL

Latitude: 45.68813565 Datum: WGS84
Longitude: -120.75537639
Township/Range/Section/Quarter-Quarter Section:
WM2.00N16.00E1SENE
Address of Well:
660 W BIGGS RUFUS OR 97050

Well Label: 85685

Printed: October 28, 2025

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor