Skyles Drilling, Inc. /1169 Molalla Ave.

RECEIVED

MAY 1 0 1993

Oregon City, OR 97045 (START CARD) # 51678 (as required by ORS 537.763) **WATER RESOURCES DEPT.** (9) LSALANO OREGOVELL by legal description: (1) OWNER: Well Number County **Tillamook** atitude Longitude Name Marion & Anita Fletcher Address 3513 12th St. Township 1south N or S. Range 9 west E or W. WM. State Or Zip 97141 Section 31 __ ¼ <u>NE</u> Tillamook Tax Lot 00100 Lot (2) TYPE OF WORK: _Block_ Subdivision_ Street Address of Well (or nearest address) 3513 12th St. New Well Deepen Recondition □ Abandon Tillamook, Or. (3) DRILL METHOD: (10) STATIC WATER LEVEL: X Rotary Air ☐ Rotary Mud Cable Date 5-3-93 15 ft. below land surface. Other (4) PROPOSED USE: Artesian pressure lb. per square inch. (11) WATER BEARING ZONES: ☐ Irrigation ■ Domestic ☐ Community ☐ Industrial Thermal Other . Injection (5) BORE HOLE CONSTRUCTION: Depth at which water was first found ____ Special Construction approval Yes X No Depth of Completed Well_100 ft. From То Estimated Flow Rate **SWL** Explosives used Yes No Type_ Amount_ 80 100 400 15 Amount HOLE sacks or pounds To Material From To Diameter From 12" 0 18 <u>Gran Bent 18</u> n 17 sacks 8" 18 100 (12) WELL LOG: Ground elevation _ How was seal placed: Method \square A \square B \square C \square D \square E X Other Granular Bentonite Placed Dry Material From **SWL** To Clay Brown/ Gravel 6 Backfill placed from____ ft. to____ ft. Material Gravel placed from____ ft. to_ Size of gravel (6) CASING/LINER: Clav Tan/Gravel **Plastic** Welded Threaded Diameter To Gauge | Steel 99 250 \mathbf{x} x Clay Gray/ Gravel Sm. 80 Gravel Sm/Med. 80 85 15 Gravel Med Large Brown 85 100 15 Final location of shoe(s) _ (7) PERFORATIONS/SCREENS: Method Air Rotary Perforations ☐ Screens Material Type _ Slot Tele/pipe Diameter Casing Liner From size Number 96 1/8x1 325 (8) WELL TESTS: Minimum testing time is 1 hour Date started 5-3-935-3-93 Completed . Flowing ☐ Bailer X Air ☐ Artesian (unbonded) Water Well Constructor Certification: L Pump I certify that the work I performed on the construction, alteration, or abandon-Yield gal/min Drill stem at Time ment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief. 1 hr. 400 93 (bonded) Water Well Constructor Certification: (Temperature of Water 52° Depth Artesian Flow Found I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed Was a water analysis done? Yes By whom driller during this time is in compliance with Oregon well construction standards. This report Did any strata contain water not suitable for intended use?

Too little is true to the best of my knowledge and belief, ☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other _

Depth of strata: