WATER WELL REPORT STATE OF OREGON

RECEIVED MAY 20 1981

ATER RESOURCES DEPT SALEM, OREGON

State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:
Name Bob Mai	County Tillamook Driller's well number
Address 32300 Miami Folley Rol	14 14 Section 6 T. 2 9 R. 9 W W.M.
City Haribati Nepalem State Cro 97131	Tax Lot # Lot Blk Subdivision
(2) TYPE OF WORK (check):	Address at well location:
New Well Deepening □ Reconditioning □ Abandon □	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 85 ft.
	Static level \$\mathcal{F}\$ ft. below land surface. Date 4-24-\$1
Rotary Air	Artesian pressure lbs. per square inch. Date
	(12) WELL LOG: Diameter of well below casing
(5) CASING INSTALLED: Steel Plastic Welded Welded Plastic Threaded Gauge Plastic Welded Plastic Threaded Gauge Plastic Gauge Plastic Welded Plastic Gauge Plastic Gauge Plastic Welded Pla	Depth drilled / 0 5 ft. Depth of completed well / 0 5 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
LINER INSTALLED:	MATERIAL From To SWL
	Brn sail 0 2
	Brn clay "Granel 2 30
(6) PERFORATIONS: Perforated? ☐ Yes ☑ No Type of perforator used	Hard clay brn - Travel 30 45
Size of perforations in. by in.	Hard black rock 45 85
perforations fromft. toft.	Black rock layers of -
perforations from ft. to ft.	purple broken rock 85 105 38
perforations fromft. toft.	
(T) (1 C) (T) (T) (T) (T) (T) (T) (T) (T) (T) (T	
(7) SCREENS: Well screen installed? ☐ Yes ☑ No	
Manufacturer's Name Type Model No.	
Diam. Slot Size Set from ft. to ft.	
Diam. Slot Size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
s a pump test made? Yes No If yes, by whom?	
Tield: gal./min. with ft. drawdown after hrs.	
II " " " "	
Air test 30 gal/min. with drill stem at 90 ft. / hrs.	
Bailer test gal./min. with ft. drawdown after hrs.	
esian flow g.p.m.	
remperature of water 55 Depth artesian flow encountered ft.	Work started 4-24 19 \$1 Completed 4-24 1981
(9) CONSTRUCTION: Special standards, Yes □ No	Date well drilling machine moved off of well 4 - 2 4 19 8
Well seal—Material used Centert	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of seal / O in.	and information reported above are true to my best knowledge and belief.
Diameter of well bore below sealin.	[Signed] July Sussell Date 4 74,1981
Number of sacks of cement used in well sealsacks	Drilling Machine Operator's License No. 832
How was cement grout placed?	
Trumped	Water Well Contractor's Certification:
TV	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was pump installed? Type HP Depth ft.	Name Bud Trussell Will Brilling
Was a drive shoe used? LYes \(\subseteq No \) Plugs Size: location ft. Did any strata contain unusable water? \(\subseteq Yes \) Yes	(Person, firm or corporation) (Type or print)
Type of Water? depth of strata	Address 5707 00 6 00 00 00 00 00 00 00 00 00 00 00 0
Method of sealing strata off	[Signed] Jaseph Trussell
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	Contractor's License No. 7.11
Gravel placed from	Contractor's License No