

MAY 25 1999

TILL  
50571

STATE OF OREGON  
WATER SUPPLY WELL REPORT  
(as required by ORS 537.765)

WATER RESOURCES DEPT.  
SALEM, OREGON

WELL I.D. # L 30205  
START CARD # 120872

Instructions for completing this report are on the last page of this form.

(1) OWNER: Well Number \_\_\_\_\_  
Name TILLAMOOK COUNTY PARKS  
Address PO BOX 633  
City GARTBALDI State OR Zip 97118

(2) TYPE OF WORK  
 New Well  Deepening  Alteration (repair/recondition)  Abandonment

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  Auger  
 Other

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other

(5) BORE HOLE CONSTRUCTION:  
Special Construction approval  Yes  No Depth of Completed Well 307 ft.  
Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE			SEAL			
Diameter	From	To	Material	From	To	Sacks or pounds
10"	0	27	Bentonite	0	27	23 SKS
6"	27	307				

How was seal placed: Method  A  B  C  D  E  
 Other Poured slowly  
Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 6"	+2	28	250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner: 4 1/2"	-1	307	200#	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) Shale trap @ 28'

(7) PERFORATIONS/SCREENS:

Perforations Method Drilled  
 Screens Type \_\_\_\_\_ Material PVC-200

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
207	307	1/2"	200	4 1/2"	pipe	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem at	Time
9		300	2 hr. s.
6		250	"
5 1/2		200	"

Temperature of water 53°F Depth Artesian Flow Found \_\_\_\_\_  
Was a water analysis done?  Yes By whom AMJ  
Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
Depth of strata: \_\_\_\_\_

(9) LOCATION OF WELL by legal description:  
County TILLAMOOK Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
Township 1N N or S Range 9W E or W. WM.  
Section 28 SE 1/4 SE 1/4  
Tax Lot 2600 Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
Street Address of Well (or nearest address) 10500 KILCHIS RIVER RD

(10) STATIC WATER LEVEL:  
45 ft. below land surface. Date 05/18/99  
Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:  
Depth at which water was first found 220

From	To	Estimated Flow Rate	SWL
220	300	9 GPM	45

(12) WELL LOG:  
Ground Elevation \_\_\_\_\_

Material	From	To	SWL
Brown clay w/boulders	0	9	
Brown & gray-brown broken basalt	9	21	
Gray & gray-brown sandstone	21	104	
Blue-gray sandstone	104	148	
Gray sandstone	148	157	
Blue-gray sandstone	157	169	
Gray sandstone, occ. frac.	169	307	45

Date started 05/12/99 Completed 05/18/99  
(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed Meli Bigby WWC Number 1492 Date 05/20/99

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed [Signature] WWC Number 1266 Date 05/20/99