The original and first control of this report are to be NOV 12 197 WAPER WELL REPORT

	State	Well No	1/9h	1-	27	60	X
<u>.</u>	State	Permit No.	***************************************		************		
1	.	· · ·				."	

white the sales of spirit factor	NICE AND STATE OF OREGON
STATE ENGINEER, SALEM, OREGON 97310	(Please type or print)
within 30 days from the date A . E.M.	OREGON
of well completion.	(Do not write above this lin

of well completion. (Do not write al	ove this line) $G - 6379$					
(1) OWNER:	(10) LOCATION OF WELL:					
Name George Hodgdon Address 385 Hodgdon Rd., Tillamook, Ore.	CF 1111 -7 1- 6111					
Address Joy Houguon Ru ; 111112moon; 0100						
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner					
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐ If abandonment, describe material and procedure in Item 12.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
	(11) WATER LEVEL: Completed well.					
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 52 ft.					
Rotary 🖟 Driven 🗆 Domestic 🛱 Industrial 🗋 Municipal 🗀	Static level 82 ft. below land surface. DateOct.18,7					
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date					
6 " Diam from 0 ft to 152 ft Gage 1280	(12) WELL LOG: Diameter of well below casing 6 In.					
6 "Diam from 0 ft. to 152 ft. Gage 1280	Depth drilled 180 ft. Depth of completed well 152 ft.					
ft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials;					
	and show thickness and nature of each stratum and aquifer penetrated,					
PERFORATIONS: Perforated? W Yes FI No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.					
PERFORATIONS: Perforated? A Yes No. Type of perforator used TOTCh						
1 70	MATERIAL From To SWL Topsoil 0 2					
42 88 94	Decomposed Clay, Brown 2 24					
perforations from	Coarse Gravel, Brown 24 36					
36	Med. Sand With Coarse					
(7) SCREENS: Well screen installed? ☐ Yes ☐XNo	Gravel, Brown 36 61					
Manufacturer's Name	Blue Clay 61 69					
Type Model No.	Med. Gravel With Brown					
Diam. Slot size Set from ft. to ft.	Clay 69 83					
Diam. Slot size Set from ft. to ft.	Weathered Brown Basalt 83 95					
(8) WELL TESTS: Drawdown is amount water level is	Blue Clay 95 103					
lowered below static level	Coarse Gravel in Brown Clay103 112					
Was a pump test made? ☐ Yes ∑ No If yes, by whom?	Med. Gravel in Brown Clay 112 153 Brown Clay 153 157					
Yield: gal./min. with ft. drawdown after hrs.	Brown Clay 153 157 Fractered Black Basalt 157 180					
" " "	This whole was natural gravel pack and					
" " "	3/8 Pea Gravel placed from 22Ft. to					
Comp. Bailer test 55 gal./min. with 68ft. drawdown after 1 hrs.	50 Ft.					
Artesian flow g.p.m.						
perature of water 52 Depth artesian flow encountered ft.	Work started Oct. 7 1971 Complete Oct. 18 1971					
(9) CONSTRUCTION: tings	Date well drilling machine moved off of well Oct. 18 1971					
Well seal-Material used Cement Grout & Drill Cut-	Drilling Machine Operator's Certification:					
Well sealed from land surface to 22 ft.	This well was constructed under my direct supervision.					
Diameter of well bore to bottom of sealin.	Materials used and information reported above are true to my best knowledge and belief.					
Diameter of well bore below seal	[Signed] Could be with Date Oct. 299.7]					
Number of sacks of cement used in well seal sacks	(Drining Machine Operator)					
Number of sacks of bentonite used in well sealOsacks	Drilling Machine Operator's License No. 604					
Brand name of bentonite	Water Well Contractor's Contification					
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is					
of water	true to the best of my knowledge and belief.					
Was a drive shoe used? Yes I No Plugs Size: location ft.	Name Wilcox Drilling & Pump Co.					
Did any strata contain unusable water? Yes X No	(Person, firm or corporation) (Type or print)					
Type of water? depth of strata	Address P. O. Box 569, McMinnville, Ore.					
Method of sealing strata off	[Signed James H. Wilcan					
Was well gravel packed? X Yes □ No Size of gravel: SCC Ttell	(water wen Contractor)					
Gravel placed fromft. toft.	Contractor's License No. 428 Date Ott. 29 , 1971					
	*					