WATER WELL REPORT TIL STATE OF OREGON

## RECEIVED State Well No.

DEC16

1982	State Well Ivo.	
	State Dormit No	

WATER	RESOURCES	DEPT.
SA	LEM. OREGON	<u> </u>
1 -	TOCATION	•

(1) OWNER:	(10) LOCATION OF WELL:		
Name Dorothy ZirbAN	County Driller's well number		
Address P.O. Box 159	14 14 Section // T. 45 R. 10 W	W.M.	
City <i>HEDO</i> , State <i>D.P.</i> 97122	Tax Lot # 600 Lot Blk Subdivision	on	
(2) TYPE OF WORK (check):	Address at well location:		
New Well   Deepening  Reconditioning  Abandon   If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
	Depth at which water was first found 30	ft.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level ft. below land surface. Date		
Rotary Air Driven Domestic M Industrial Municipal	Artesian pressure lbs. per square inch. Da		
Rotary Mud	(12) WELL LOG: Diameter of well below casing		
	Depth drilled 160 ft. Depth of completed well	<i>160</i> ft.	
(5) CASING INSTALLED: Steel W Plastic Threaded Welded	Formation: Describe color, texture, grain size and structure of materia		
6" Diam. from 1 ft. to 80 ft. Gauge 250	thickness and nature of each stratum and aquifer penetrated, with at lea	ast one entry	
	for each change of formation. Report each change in position of Static and indicate principal water-bearing strata.	Water Level	
LINER INSTALLED:	MACTERITY	T	
4" Diam. from	MATERIAL From To	SWL	
	70p soi/ 0 2		
(6) PERFORATIONS: Perforated? Yes $\square$ No	BROWN Clay - small grovel 224	<del>- </del>	
Type of perforator used C C C	BROWN Clay - small gravel 2 24	-	
Size of perforations / in. by in.	BROWN Clay - some small 24 61		
perforations from 70 ft. to 80 ft.	lautra sorb		
Skill sall perforations from 18 X to 6	BROWN SANDSTANE 6181	<del> </del>	
	División de la	<del> </del> -	
(7) SCREENS: Well screen installed? ☐ Yes ☐ No	Blue Claystone 81 142		
Manufacturer's Name	77.5	<del> </del>	
Type Model No.	BluE SANDSTONE 14214	7	
Diam. Slot Size Set from ft. to ft.			
Diam. Slot Size Set from ft. to ft.	Blue Clay STONE 147/60	2	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? ☐ Yes ☐ No If yes, by whom?  Id: gal/min. with ft. drawdown after brs.		<b></b> .	
ld: gal/min with ft drawdown after hrs.			
Air test S gal./min. with drill stem at / ft. / hrs.			
Bailer test gal./min. with ft. drawdown after hrs.		<b>_</b>	
Artesian flow g.p.m.		<del> </del> -	
perature of water Depth artesian flow encountered ft.	<del>-                                   </del>	<u></u>	
(O) CONCERNICATION	Work started /D - 8 19 82 Completed /O - / Date well drilling machine moved off of well	<u> 5 1983</u>	
(9) CONSTRUCTION: Special standards: Yes □ No 🗹 Well seal—Material used		19 82	
Well sealed from land surface to	Drilling Machine Operator's Certification:		
Diameter of well bore to bottom of seal	This well was constructed under my direct supervision. Mat and information reported above are true to my best knowledge a	erials used	
Diameter of well bore below seal	[Signed] Yaul Duckerson Dell'15		
Number of sacks of cement used in well seal	(Drilling Machine Operator)	, 20. 2	
How was cement grout placed? Prout Punyo.	Drilling Machine Operator's License No 5.49		
0	Water Well Contractor's Certification:		
	This well was drilled under my jurisdiction and this repor	t is true to	
Was pump installed? Type HP Depth ft.	the best of my knowledge and belief.		
Was a drive shoe used? 🗆 Yes 🗆 No Plugs Size: location ft.	Name	or print)	
Did any strata contain unusable water?   Yes  No	Address	[	
Type of Water? depth of strata	55 7 Paro & 10:10		
Method of sealing strata off	[Signed] J. A. L. Water Well Contractor)		
Was well gravel packed? Yes No Size of gravel: 3/44	Contractor's License No. 689 Date 16-15.	, 19. <b>8</b> .2	
Gravel placed from			