NOTICE TO WATER WELL CONTRACTOR The original and first copy
of this report are to be
filed with the

WATER WELL REPORT

STATE ENGINEER, SALEM, OFFICEN 1310 STATE OF OREGON (Please type or print) within 30 days from the date of well completion.

(Do not write above this line) NOV - 6 1975

UMA 7 State Well No. 34.286-2

State Permit No. ..

(1) OWNER: WATER RESOURCES DEPT.	(10) LOCATION OF WELL:			
Name Thed andus ALEM, OREGON	County Umatilla Driller's well number			
Address Rt 1 Bw 6	14 14 Section 2 T. 37/ R. 28 E. W.M.			
Echo, Oregon 97826	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):	- data distribution of Sale and Sale an			
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐	=			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL Completed well			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.			
Rotory W Driven C	Depth at which water was first found // ft.			
Cable Jetted Domestic Industrial Municipal	Static level 2 ft. below land surface. Date $\frac{10}{129/73}$			
Dug	Artesian pressure lbs. per square	inch.	Date	
CASING INSTALLED: Threaded Welded	(10) TYPE I OC		10	
	(12) WELL LOG: Diameter of well below casing 10 1			
" Diam. from ft. to ft. Gage	Depth drilled //6 ft. Depth of completed well //0 ft.			
	Formation: Describe color, texture, grain size at			
	and show thickness and nature of each stratum with at least one entry for each change of formati			
PERFORATIONS: Perforated? Y Yes \(\square\) No.	position of Static Water Level and indicate princ	ipal wat	er-beari	ng strata.
Type of perforator used Wills	MATERIAL	From	то	SWL
Size of perforations / / in. by // in.	Topsoil	0	2	
300 perforations from 35 ft. to 85 ft.	Clairitone	2	11	
perforations from ft. to ft.	List d	11	24	
perforations fromft. toft.	Builder	24	28	
	Travel.	28	87	
(7) SCREENS: Well screen installed? Yes No	Claustine blue 1 black rock	87	95-	WiB.
Manufacturer's Name	Rock light brown	95	110	
Type Model No				
Diam Slot size Set from ft. to ft.				
Diam. Slot size Set from ft. to ft.				
(8) WELL TESTS: Drawdown is amount water level is				
lowered below static level				
Was a pump test made? ☐ Yes 🖫 No If yes, by whom?				
Yield: gal./min. with ft. drawdown after hrs.	State and the state of the stat			•
" " "	***************************************			
Bailer test 400 gal./min. with 98ft. drawdown after / hrs.			-	
Artesian flow g.p.m.				
perature of water Depth artesian flow encountered ft.	Work started /0 -27 1975 Complete	d /6	.29	19 7-5
(A) CONCERNICATION	Date well drilling machine moved off of well		-30	19 75
(9) CONSTRUCTION:			Ju	
Well seal—Material used Dentonite	Drilling Machine Operator's Certification:	# t		
Well sealed from land surface toft.	This well was constructed under my Materials used and information reported	above :	super are true	e to my
Diameter of well bore to bottom of sealin.	best knowledge and belief.			
Diameter of well bore below seal	[Signed] (Drilling Machine Operator)	Date	16 136	(, 19. 15
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No. 66.5			
Number of sacks of bentonite used in well seal sacks	Diming/Machine Operator's Literise No			
Brand name of bentonite National	Water Well Contractor's Certification:			
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdic	ction ar	nd this i	report is
of waterlbs./100 gals.	true to the best of my knowledge and beli		VIII 1	
Was a drive shoe used? X Yes No Plugs Size: location ft.	Name TROY GRIFFIH			
Did any strata contain unusable water? Yes No	(Person, firm or corporation)		pe or pri	
Type of water? depth of strata	Address 900 HERM ISTON AVE, H	- IS M	1210	7 0 0
Method of sealing strata off	[Signed] Though	<u>ئ</u> ـ .		
Was well gravel packed? Yes No Size of gravel:	[Signed] (Water Well Contra	•		
Craval planed from # to #	Contractor's License No. 65 Date	10-	30	10 75