

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

RECEIVED
WATER WELL REPORT
MAR 26 1975
STATE OF OREGON

Page 1
State Well No. 3N/28E-35ab

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

STATE ENGINEER
SALEM, OREGON

State Permit No. #5 G-6476

(1) OWNER:
Name Teel Irrigation
Address Rte 1, Box 95B, Hermiston, Ore

UMAT
1232

(2) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:
Rotary Cable Driven Jetted Bored
(4) PROPOSED USE (check):
Domestic Industrial Municipal Irrigation Test Well Other

CASING INSTALLED:
16" Diam. from +1 ft. to 85 ft. Gage .250
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

PERFORATIONS:
Type of perforator used _____
Size of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

(7) SCREENS:
Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:
Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? Prior
1050 gal./min. with 10 ft. drawdown after 24 hrs.
" " " " " "
" " " " " "
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
_____ g.p.m.
_____ ft.

(9) CONSTRUCTION:
Well seal—Material used Neat cement
Well sealed from land surface to 86' ft.
Diameter of well bore to bottom of seal 26 in.
Diameter of well bore below seal 12 in.
Number of sacks of cement used in well seal 104 sacks
Number of sacks of bentonite used in well seal _____ sacks
Brand name of bentonite _____
Number of pounds of bentonite per 100 gallons _____
of water _____ lbs./100 gals.
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL: PRIOR #5
County Umatilla Driller's well number 5
NW 1/4 NE 1/4 Section 3835 T. 3N R. 28E W.M.
Bearing and distance from section or subdivision corner
660' S 2630' W of NE Corner of S 35, T35N, R28E

(11) WATER LEVEL: Completed well.
Depth at which water was first found 218 ft.
Static level 220 ft. below land surface. Date 1/22/75
Artesian pressure 400 lbs. per square inch. Date _____

(12) WELL LOG: Diameter of well below casing _____
Depth drilled 875 ft. Depth of completed well _____ ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top soil	0	3	
Cemented gravel	3	10	
Clay brown hard	10	17	
Sandstone tan	17	19	
Clay, gravel & sm cobbles	19	54	
Clay brown hard	54	68	
Gravel & sm cobbles cemented	68	76	
Basalt	76	86	
" hard black	86	138	
" soft black	138	148	
" hard black	148	170	
" blk & reddish soft brn	170	179	
" Black hard	179	218	
" soft black	218	230	
" soft black & clay	230	268	
" hard black	268	300	
" soft black	300	316	
" soft black	316	362	
" hard black	362	381	

Work started 10/18 19 74 Completed 1/22 19 75
Date well drilling machine moved off of well 1/23 19 75

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Steve Moon Date 1/24, 19 75
(Drilling Machine Operator) 755
Drilling Machine Operator's License No. _____

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Glen Maddox
(Person, firm or corporation) (Type or print)
Address 145 Northshore, Moses Lake, Wa.
[Signed] Glen Maddox
(Water Well Contractor)
Contractor's License No. 555 Date 1/24, 19 75

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No.

State Permit No.

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date of well completion.

(1) OWNER:

Name
Address

(2) TYPE OF WORK (check):

New Well [] Deepening [] Reconditioning [] Abandon []
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven []
Cable [] Jetted []
[] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal []
Irrigation [] Test Well [] Other []

(5) CASING INSTALLED:

Threaded [] Welded []
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? [] Yes [] No.
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [] No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [] Yes [] No If yes, by whom?
gal./min. with ft. drawdown after hrs.
Bailer test gal./min. with ft. drawdown after hrs.
an flow g.p.m.
Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used
Well sealed from land surface to ft.
Diameter of well bore to bottom of seal in.
Diameter of well bore below seal in.
Number of sacks of cement used in well seal sacks
Number of sacks of bentonite used in well seal sacks
Brand name of bentonite
Number of pounds of bentonite per 100 gallons of water lbs./100 gals.
Was a drive shoe used? [] Yes [] No Plugs Size: location ft.
Did any strata contain unusable water? [] Yes [] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [] Yes [] No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Umatilla Driller's well number 5
1/4 1/4 Section T. R. W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft.
Static level ft. below land surface. Date
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing
Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with 4 columns: MATERIAL, From, To, SWL. Rows include Basalt soft black, hard black, soft black, caving, etc.

Work started 19 Completed 19

Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Date, 19... (Drilling Machine Operator)

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name (Person, firm or corporation) (Type or print)

Address

[Signed] (Water Well Contractor)

Contractor's License No. Date, 19...

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

STATE OF OREGON
(Please type or print)

State Well No.

State Permit No.

(Do not write above this line)

(1) OWNER:

Name
Address

(2) TYPE OF WORK (check):

New Well [] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Cable [] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

(5) CASING INSTALLED:

Threaded [] Welded []

" Diam. from ... ft. to ... ft. Gage ...
" Diam. from ... ft. to ... ft. Gage ...
" Diam. from ... ft. to ... ft. Gage ...

(6) PERFORATIONS:

Perforated? [] Yes [] No.

Type of perforator used

Size of perforations in. by in.
perforations from ... ft. to ... ft.
perforations from ... ft. to ... ft.
perforations from ... ft. to ... ft.

(7) SCREENS:

Well screen installed? [] Yes [] No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ... ft. to ... ft.
Diam. Slot size Set from ... ft. to ... ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? [] Yes [] No If yes, by whom?
Y gal./min. with ft. drawdown after hrs.
" " " "
" " " "
Bailer test gal./min. with ft. drawdown after hrs.
An flow g.p.m.
Temperature of water Depth artesian flow encountered ... ft.

(9) CONSTRUCTION:

Well seal—Material used
Well sealed from land surface to ... ft.
Diameter of well bore to bottom of seal ... in.
Diameter of well bore below seal ... in.
Number of sacks of cement used in well seal ... sacks
Number of sacks of bentonite used in well seal ... sacks
Brand name of bentonite
Number of pounds of bentonite per 100 gallons
of water ... lbs./100 gals.
Was a drive shoe used? [] Yes [] No Plugs Size: location ... ft.
Did any strata contain unusable water? [] Yes [] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [] Yes [] No Size of gravel:
Gravel placed from ... ft. to ... ft.

(10) LOCATION OF WELL:

County Umatilla Driller's well number 5
1/4 1/4 Section T. R. W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ... ft.
Static level ... ft. below land surface. Date
Artesian pressure ... lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing ...

Depth drilled ... ft. Depth of completed well ... ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include Basalt soft black, hard black, soft black, hard black, soft black, black, soft black, soft black.

Work started 19 Completed 19
Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] ... Date ..., 19...
(Drilling Machine Operator)

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name (Person, firm or corporation) (Type or print)

Address

[Signed] (Water Well Contractor)

Contractor's License No. ... Date ..., 19...