NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be

RECEIVED

MAR 6

197 State Well No. 3N/28E-35ca

STATE ENGINEER, SALEM, ORIGINAL Within 20 december 20

| within 30 days from the date of well completion. NOV2 9 1974 (Do not write a | | | | |
|---|--|--|--|--|
| (1) OWNER: STATE ENGINEER UM A 22 | | | | |
| (1) OWNER: Name Teel Irrigation Distriction | | | | |
| Address Rte 1, Box 95B, Hermiston, Ore | | | | |
| (2) TYPE OF WORK (check): | | | | |
| New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐ | | | | |
| If abandonment, describe material and procedure in Item 12. | | | | |
| (3) TYPE OF WELL: (4) PROPOSED USE (check): | | | | |
| Rotary Driven Domestic Industrial Municipal | | | | |
| Cable Jetted Irrigation & Test Well Other | | | | |
| (5) CASING INSTALLED: Threaded Welded | | | | |
| 16 "Diam from +1 ft. to 58 ft. Gage •25 | | | | |
| | | | | |
| " Diam. from | | | | |
| | | | | |
| (6) PERFORATIONS: Perforated? Yes X No. | | | | |
| Type of perforator used | | | | |
| Size of perforations in. by in. | | | | |
| perforations from ft. to ft. | | | | |
| perforations from | | | | |
| perforations from ft. to ft. | | | | |
| (7) SCREENS: Well screen installed? Yes No | | | | |
| Manufacturer's Name | | | | |
| Type Model No. | | | | |
| Diam. Slot size Set from ft. to ft. | | | | |
| Diam. Slot size Set from ft. to ft. to ft. | | | | |
| (8) WELL TESTS: Drawdown is amount water level is lowered below static level | | | | |
| Was a pump test made? K Yes No If yes, by whom? Maddox & | | | | |
| 1212 gal./min. with 213 ft. drawdown after 24 hrs. | | | | |
| n n n | | | | |
| n " " " " " " " " " " " " " " " " " " " | | | | |
| Bailer test gal./min. with ft. drawdown after hrs. | | | | |
| sian flow g.p.m. | | | | |
| Temperature of water Depth artesian flow encountered ft. | | | | |
| (9) CONSTRUCTION: | | | | |
| Well seal—Material used Neat Cement | | | | |
| Well sealed from land surface to ft. | | | | |
| Diameter of well bore to bottom of sealin. | | | | |
| Diameter of well bore below seal12 in. | | | | |
| Number of sacks of cement used in well seal sacks | | | | |
| Number of sacks of bentonite used in well seal sacks | | | | |
| Brand name of bentonite | | | | |
| Number of pounds of bentonite per 100 gallons | | | | |
| of water lbs./100 gals. | | | | |
| Was a drive shoe used? ☐ Yes K No Plugs Size: location ft. Did any strata contain unusable water? ☐ Yes K No | | | | |
| | | | | |
| Method of cooling strete off | | | | |
| | | | | |
| Was well gravel packed? ☐ Yes ☒ No Size of gravel: | | | | |

Gravel placed from ..

| bove this line) SALEM, OREGON - G-6476 | | | | | | |
|--|---|------------|--|--|--|--|
| (10) LOCATION OF WELL: | G- PRIDR : | -64. #6 | 76 | | | |
| County Umatilla Driller's well number 2 | | | | | | |
| NE | | | | | | |
| Bearing and distance from section or subdivision corner | | | | | | |
| | .011 00111 | | | | | |
| | | | | | | |
| (11) WATER LEVEL: Completed well. | | | | | | |
| Depth at which water was first found | | 17 | ft. | | | |
| Static level 17 ft. below land | surface. | Date 10 |)/15/74 | | | |
| Artesian pressure lbs. per square inch. Date | | | | | | |
| (12) WELL LOG: Diameter of well below casing 12" | | | | | | |
| Depth drilled 537 ft. Depth of compl | - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | |
| Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. | | | | | | |
| MATERIAL | From | то | SWL | | | |
| Top soil | 0 | 6 | | | | |
| Gravel & small cobbles | 6 | 20 | | | | |
| Clay & gravel | 20 | 23 | | | | |
| Clay, dark brown soft | 23 | 33 | | | | |
| Clay & gravel | 33_ | 44 | | | | |
| Cemented gravel | 44 | 48 | - | | | |
| Basalt, black hard | 48 | 117 | | | | |
| Basalt, reddish brn & black | 117 | 148 | | | | |
| Basalt, med hard Basalt, blk & reddish brn | 148 175 | 175 190 | | | | |
| Basalt, blk med soft | 190 | 225 | | | | |
| Basalt black hard | 225 | 235 | | | | |
| Basalt blk & reddish brn | 235 | 243 | | | | |
| Basalt blk med soft | 243 | 250 | | | | |
| Basalt blk soft vescular | 250 | 260 | | | | |
| Basalt blk med hard | 260 | 271 | | | | |
| Basalt blk vescular soft | 271 | 294 | | | | |
| Basalt gray black hard | 294 | 310 | | | | |
| Basalt black med hard | 310 | 1328 | | | | |
| Work started 8/24/74 19 Complete | ed | TO\50 | 1974 | | | |
| Date well drilling machine moved off of well | ÷ | 10/2 | 1 1974 | | | |
| Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my | | | | | | |
| best knowledge and belief. [Signed] The Moon | Date | 11/20 | , ₁₉ 74 | | | |
| (Drilling Machine Operator) Drilling Machine Operator's License No. | | 755 | ; ; | | | |
| Water Well Contractor's Certification: | | | | | | |
| This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name Glen Maddox | | | | | | |
| Name (Person, firm or corporation) | (T ; | ype or pri | nt) | | | |
| Address 145 Northshore Dr., M | oses I | ake, | Wa. 9883 | | | |
| [Signed] | / | | ······································ | | | |
| Contractor's License No Date | 11/2 | <u> </u> | , 19 | | | |

NOTICE TO WATER WELL CONTRACTOR

of well completion.

(1) OWNER:

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date

WATER WELL RE

STATE OF OREG

(Please type or prin

(Do not write above thi

| L REPORT | | • | | | | |
|---|-------------------------------------|---------------------|---------------------|------------------------|--|--|
| DREGON | State Well No | | | | | |
| or print) we this line) | State Permit No. | | | | | |
| (10) LOCATION OF WI | ELL: | | <u></u> | | | |
| County Umatilla | | mber | 2 | | | |
| NE ¼ SW ¼ Section | | | 1 28E | W.M. | | |
| Bearing and distance from section | | | | | | |
| | | | | | | |
| (11) WATER LEVEL: C | completed w | ell. | | | | |
| Depth at which water was first | found | | | ft. | | |
| Static level | ft. below land s | urface. | Date | | | |
| Artesian pressure | lbs. per squar | e inch. | Date | | | |
| | meter of well b | | - | | | |
| Depth drilled ft. | Depth of comple | eted we | 1 | ft. | | |
| Formation: Describe color, text and show thickness and nature with at least one entry for each oposition of Static Water Level of | of each stratur change of format | n and a ion. Rep | quifer pe | netrated, change in | | |
| MATERIAL | | From | То | swl | | |
| Basalt gray black h | nard | 328 | 345 | | | |
| Basalt blk & brn ve | | 345 | 375 | ···· | | |
| Basalt black hard | 77723 | 375 | 379 | | | |
| Basalt gray black h | nard | 379 | 388 | | | |
| Basalt gray black h | | 388 | 485 | | | |
| Basalt black med so | | 485 | 496 | | | |
| Basalt black hard | | 496 | 508 | | | |
| Basalt black soft | | 508 | 527 | | | |
| Basalt black hard | | 527 | 537 | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| - | | | | | | |
| | | | | | | |
| Work started | l9 Complete | d | <u> </u> | 19 | | |
| Date well drilling machine move | | - | | 19 | | |
| | | | | | | |
| Drilling Machine Operator's This well was construct Materials used and informa best knowledge and belief. | ed under my | direct above | t super are true | vision. to my | | |
| [Signed] | Operator) | Date | | ., 19 | | |
| (Drilling Machine Operator's | | | | | | |
| Water Well Contractor's Cert | ification: | | | | | |
| This well was drilled untrue to the best of my know | | | nd this r | eport is | | |
| Name | _ | | | | | |

Teel Irrigation District Name Address (2) TYPE OF WORK (check): 5 Reconditioning [New Well □ Deepening [Abandon | If abandonment, describe material and procedure in Item 12 (3) TYPE OF WELL: (4) PROPOSED USE (check): Rotary Driven 🛘 Domestic Industrial Municipal Cable Jetted Bored [Irrigation Test Well Other (5) CASING INSTALLED: Threaded | Welded |" Diam. from ft. to ft. Gage" Diam, from ft. to ft. Gage ." Diam. from ft. to ____ ft. Gage (6) PERFORATIONS: Perforated? Tyes No. Type of perforator used Size of perforations in. by _____ perforations from _____ ft. to _____ ft. perforations from ft. to perforations from ft. to (7) SCREENS: Well screen installed? Yes No Manufacturer's Name Model No. Diam. Slot size Set from Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? ☐ Yes ☐ No If yes, by whom? gal./min. with ft. drawdown after hrs. Bailer test gal./min. with ian flow g.p.m. Temperature of water Depth artesian flow encountered ... £t. (9) CONSTRUCTION: Well seal—Material used Well sealed from land surface to _____ Diameter of well bore to bottom of seal in. Diameter of well bore below seal in. Number of sacks of cement used in well seal sacks Number of sacks of bentonite used in well seal Brand name of bentonite ... Number of pounds of bentonite per 100 gallons Was a drive shoe used? Yes No Plugs Size: location ft. Did any strata contain unusable water? Yes No Type of water? depth of strata Method of sealing strata off Was well gravel packed? Yes No Size of gravel: ...

Gravel placed from ft. to

(Person, firm or corporation)

Contractor's License No. Date

(Water Well Contractor)

[Signed]