NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be

UMAT WATER WELL REPORE CEIVED

STATE OF OREGON

APR **16** 1976

State Well No. 3N/28F.5

filed with the STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

(Please type or print) (Do not write above this line) TER RESOURCES DEPT.

No Filing	TIMIER RESOURCES DELT.		
1) OWNER:	(10) LOCATION OF WELL:		
Name Teel Irrigation	County Umatilla Driller's well no	ımber #2	
Address Route 1, Box 95B, Hermiston, Ore	NW 14 NE 14 Section 36 T. 3N	R. 28E	W.M.
uuress	Bearing and distance from section or subdivision		
2) TYPE OF WORK (check):			D20E
· · · · · · · · · · · · · · · · · · ·	660' S 2630' W of NE Corner o	I Sob, Ton,	, RZOE
tow word			
f abandonment, describe material and procedure in Item 12.	· (11) WATER LEVEL: Completed w	ell.	
3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found		ft.
totary Driven Domestic Industrial Municipal	Static level ft. below land s	urface. Date	
dable			
ng Dotte gatter	Artesian pressure ins. per squar		
CASING INSTALLED: Threaded □ Welded □	(12) WELL LOG: Diameter of well h	12" to	
" Diam. from ft. to ft. Gage	Depart direct 100) It. Depart of compr		
	Kormation: Describe color texture, grain size a		
	with at least one entry for each change of format	tion. Report each	change in
PERFORATIONS: Perforated?	position of Static Water Level and indicate prin	cipal water-bearin	rg strata.
ype of perforator used	MATERIAL	From To	SWL
ize of perforations in. by in.	Basalt hard black & gray	931 980	
perforations from ft. to ft.		1 7 2 - 1 7 1 - 1	
perforations from	Basalt hard black	990 1005	
perforations from ft. to ft.			
periorations from 10. 00			
7) SCREENS: Well screen installed? Yes No	987' Water		
Ianufacturer's Name			
'ype Model No			
Diam Slot size Set from ft. to ft.			
Diam Slot size Set from ft. to ft.			
8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? ☐ Yes ☐ No If yes, by whom?			
rield: gal./min. with ft. drawdown after hrs.			
" " "	-		
	-		
" " "	- 1		
Bailer test gal./min. with ft. drawdown after hrs.	·		
artesian flow g.p.m.			
perature of water Depth artesian flow encountered ft.	Work started 3/1/ 19 76 Complete	ed 3/5	19 76
	Date well drilling machine moved off of well	3/8	19 76
9) CONSTRUCTION:	Date wen drining machine moved out of wen		
Vell seal—Material used	Drilling Machine Operator's Certification:		
Vell sealed from land surface to ft.	'I'nig well was constructed linder my		
Diameter of well bore to bottom of seal in.	best knowledge and belief.	WOLC STE STOR	
Diameter of well bore below sealin.	[Signed] Stewn Moore	Date 4/13	1976
Tumber of sacks of cement used in well sealsacks	(Drilling Machine Operator)		.,
Tumber of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No.	<u>7</u> 55	***************************************
Frand name of bentonite			
lumber of pounds of bentonite per 100 gallons	Water Well Contractor's Cerunication:		
f waterlbs./100 gals	This well was drilled under my jurisdi		report is
Vas a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	Glan Madday	161.	
old any strata contain unusable water? Yes No	Name (Person, firm or corporation)	(Type or pri	nt)
	Address P. O. Drawer P. Moses Le		_
Type of water? depth of strata			~
fethod of sealing strata off	[Signed] Men Mad	suf	
Vas well gravel packed? 🗌 Yes 📋 No 💮 Size of gravel:	(Water Well Contr	actor)	
ravel placed from tt. to tt.	Contractor's License No555 Date	4/13	, 1976