NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

within 30 days from the date of well completion.

WATER WELL REPORT

state engineer, salem, oregon to the determination of the determination of the state of the stat

DEC 1 9 1975(Do not write above this line)

State Well No. 3N/29E-5

SP*45656-119

State Permit No. ...

16/411.0.000			
(1) OWNER: WATER RESOURCES DEPT.	(10) LOCATION OF WELL:		
Name Jess Correa SALEM, OREGON	County Umatilla Driller's well no	ımber	
Address R. I Box II Echo, Oregon	14 14 Section 5 T. 3N	R. 29E	W.M.
	Bearing and distance from section or subdivisi	on corner	
(2) TYPE OF WORK (check):			
New Well			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	18	ft.
Rotary Driven Domestic Industrial Municipal		surface. Date I	2-I-75
Cable	Artesian pressure — lbs. per squar		
(5) CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well l	below casing	9
10	Depth drilled 30 ft. Depth of compl	eted well	<u>30</u> ft.
"Diam. from	Formation: Describe color, texture, grain size		
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratus with at least one entry for each change of forma	m and aquifer <u>p</u> tion. Report eacl	penetrated, i change in
(6) PERFORATIONS: Perforated? A Yes \(\square\) No.	position of Static Water Level and indicate prin	cipal water-bear	ing strata.
Type of perforator used with torch	MATERIAL	From To	SWL
Size of perforations in. by in.	surface aund brown	0 5	
80 perforations from 20 ft. to 30 ft.	clay	5 IO	
perforations from ft. to ft.	clay & gravel	10 18	
perforations from ft. to ft.	gravel	18 30	う
periorations from			
(7) SCREENS: Well screen installed? Yes To No.			
Manufacturer's Name			
Type Model No		<u> </u>	
Diam Slot size Set from ft. to ft.		ļ	
Diam. Slot size Set from ft. to ft.		ļ	<u> </u>
(8) WELL TESTS: Drawdown is amount water level is			
Towered below static level		 	
Was a pump test made? Yes No If yes, by whom?			
gal./min. with ft. drawdown after hrs.			_
" " " "			
eir " " "	. Servi		
Bailer test 200 gal./min. with IO ft. drawdown after 2 hrs.			
sian flow g.p.m.			
Temperature of water Depth artesian flow encountered ft.	Work started I2-I 175 Complete	ted I2-I	19 75
(9) CONSTRUCTION:	Date well drilling machine moved off of well		19 75
Well seal-Material used	Drilling Machine Operator's Certification	: - d:mast ~===	. m. r. i . i
Well sealed from land surface toft.	This well was constructed under my Materials used and information reported	direct super above are tr	ervision. ue to my
Diameter of well bore to bottom of seal in.	best knowledge and belief.)		
Diameter of well bore below seal in.	[Signed] (le, allung)	7 _{Date} 12-18	, 19 7 5
Number of sacks of cement used in well sealsacks	Drilling Machine Operator's License No. 300		
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License 140.		
Brand name of bentonite	Water Well Contractor's Certification:		
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisc	liction and thi	s report is
of waterlbs./100 gals.	true to the best of my knowledge and be	elief.	
Was a drive shoe used? Yes No Plugs Size: location ft.	Name Allison Drilling Co.	(Type or)	 hrint\
Did any strata contain unusable water? 🗌 Yes 🏝 No	(Person, firm or corporation)		_
Type of water? depth of strata	AddressR• 2 Box 309-C Hermistor	reOragon	.
Method of sealing strata off	[Signed] I C (Ullist)	12	
Was well gravel packed? [] Yes 😭 No Size of gravel:	(Water Well Con	T2-T8	7
Gravel placed from ft. to ft.	Contractor's License No. Date		, 19

(USE ADDITIONAL SHEETS IF NECESSARY)