NOTICE TO WATER WELL CONTRACTOR The original and first copy of this n are to be filed with the WATER RESOURCES DEPARTM TATE OF OREGON SALEM, OREGON 97310 SEP 191978 (Please type or print) within 30 days from the date of well completion. State Permit No. ... WATER RESOURCES DEWILL above this line) (1) OWNER (10) LOCATION OF WELL: Name County 7111 A7112 A Driller's well number 6/8-78 Address NW 4 NW4 Section 10 T. 3N R. 29 E. Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening [ Reconditioning [ Abandon 🔲 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found

Rotary Driven	United was taken found	70	. It.
Cable	Static level 330 ft. below land s	surface. Dat	
Dug	Artesian pressure lbs. per squar	e inch. Dat	e
" Diam. from ft. to ft. Gage 250  " Diam. from ft. to ft. Gage 250  " Diam. from ft. to ft. Gage ft.	(12) WELL LOG: Diameter of well to the drilled / 380 ft. Depth of complete formation: Describe color, texture, grain size and show thickness and nature of each stratument with at least one entry for each change of format position of Static Water Level and indicate principles.	eted well and structure m and aquif	ft. e of materials; fer penetrated,
Type of perforator used	MATERIAL	From	To SWL
Size of perforations in. by in.	Silt, Soil	0 2	0
perforations from	COBBLES	20 3	5
perforations from ft. to ft.	BROKEN GREY BASALT	35 13	30
perforations from ft. to ft.	HARD "	130 13	70
(7) SCREENS: Well screen installed?  Wes No	MED. HARD "	170 2	50
Manufacturer's Name	SOFT "	250 3	17 1
Type Model No.	SOFT BROWN "	3/7 4	10 walu
Diam. Slot size Set from ft. to ft.	MED, "1"	410 48	20
Diam. Slot size Set from ft. to ft.	SOFT BROKEN "	480 63	73
(8) WELL TESTS: Drawdown is amount water level is	MED, H 11	110 74	20
lowered below static level	BROKEN 11 11	788 81	5 water
Was a pump test made? ☐ Yes 🕱 No If yes, by whom?	N 11 11	865 96	
Yield: gal./min. with ft. drawdown after hrs.	الاستدادات ا	merca of the	00
DET 1,000 GAMIT AIR LIFT "	BROKEN " 11	1000	25 under
" " " "	HARO ""	1125 119	98
Bailer test gal /min with	DIED. HARD ""	1198 121	10
Artesian flow g.p.m.	BRUKEN "	1310 13	80 water
erature of water 16 Depth artesian flow encountered ft.	Work started \$-/5 1978Completes		1
		d 9:-	4 1978
(9) CONSTRUCTION:	Date well drilling machine moved off of well	4-	4 19 78
Well seal—Material used NEAT CEMENT	Drilling Machine Operator's Continued		

## Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name

(Rerson time or corporation)

Address

[Signed]

(Water Well Contractor)

... in.

.... Size: location ..... ft.

Well sealed from land surface to ..

Type of water?

Gravel placed from ...

Method of sealing strata off

Was well gravel packed? [] Yes X No

Diameter of well bore to bottom of seal

Number of sacks of cement used in well seal .....

Was a drive shoe used? 🗌 Yes 💢 No Plugs .....

Did any strata contain unusable water? 

Yes 

No

depth of strata

ft. to

Size of gravel:

Diameter of well bore below seal .....