WATER WELL REPORT STATE OF OREGON



RECFED

JUN 2 8 1982

State Well No. 3h/29E-12dd

WATER RESOURCES DEPT SALEM, OREGON

	1	
State Permit No.	***************************************	,

(1) OWNER:	(10) LOCATION OF WELL:		
Name P udential Ins. Co.	County Umatilla Driller's well number three		
Address P O Box 3048	SE 4 SE 4 Section 12 T. JN R. 29 E W.M.		
City Pasco, Wash 99302 State	Tax Lot # Lot Blk Subdivision		
(2) TYPE OF WORK (check):	Address at well location:		
New Well □ Deepening □ Reconditioning □ Abandon □			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
	Depth at which water was first found na ft		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level 177 ft. below land surface. Date 5/27/8		
Rotary Mud. Dug Domestic Industrial Municipal Rotary Mud. Dug Irrigation Test Well Other D	Artesian pressure lbs. per square inch. Date		
Rotary Mud Dug Irrigation AD Test Well Other Commonweal Bored Thermal: Withdrawal Reinjection	(12) WELL LOG: Diameter of well below casing 7 7/8		
(5) CASING INSTALLED. Co. 1	Depth drilled 2 feet ft. Depth of completed well 1196 ft.		
(5) CASING INSTALLED: Steel	Formation: Describe color, texture, grain size and structure of materials; and show		
ft. Gauge	thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level		
ft. Gauge	and indicate principal water-bearing strata.		
LINER INSTALLED:	MATERIAL From To SWL		
	Black Basalt 1194 1196 177		
(a) DEDUCE ARIONG			
(6) PERFURATIONS: Perforated? Yes No Type of perforator used na.			
Size of perforations in. by in.	cleaned out talc or siltstone plug at 575		
perforations from ft. to ft.	to approx 600 more or less		
perforations fromft. toft.			
perforations from			
(7) SCREENS: Well screen installed? Yes X No			
Manufacturer's Name			
Type Model No.			
Diam. Slot Size Set from ft. to ft.			
Diam. Slot Size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? ☐ Yes ☐ No If yes, by whom?			
gal./min. with ft. drawdown after hrs.			
II " " "			
Air test gal./min. with drill stem at ft. hrs.	·		
Bailer test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.			
erature of water Depth artesian flow encountered ft.	Work started 5/25/82 19 Completed 5/27/82 19		
(9) CONSTRUCTION: Special standards: Yes \(\text{No } \text{IV} \)	Date well drilling machine moved off of well 5/27/82 19		
Well seal—Material used	Drilling Machine Operator's Certification:		
Well sealed from land surface to			
Diameter of well bore to bottom of sealin.	This well was constructed under my direct supervision. Materials used and information reported above are true to for hest knowledge and belief.		
Diameter of well bore below sealin.	[Signed] J. Date 6/3/820 Date 6/3/820		
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No		
How was cement grout placed?			
	Water Well Contractor's Certification:		
Was nump installed?	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was pump installed?	Name Larry Burd Well Drilling Inc.		
Did any strata contain unusable water? \square Yes \square No	Address 5543 S W Douglas Pendleton, Ore		
Type of Water? depth of strata	Address		
Method of sealing strate off [Signed]			
Was well gravel packed? ☐ Yes 🏋 No Size of gravel:	Contractor's License No. 514 Date 6/3/82		
ravel placed from			