

NOTICE TO WATER WELL CONTRACTOR

The original and first copy

of this report are to be

filed with the

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date

of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED
DEC 10 1979
UMAT
1290

Well # 3

X State Well No. 3M/29E-12
X State Permit No. G-4969
Application # 6-5541

(1) OWNER:

Name Prudential Insurance Company
Address 2508 W. Sylvester, Suite E
Pasco, Wa., 99301

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Driven
 Cable Jetted
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded
" Diam. from 4 1/2 ft. to 5 7/8 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? Yes No.

Type of perforator used

Size of perforations in. by in.
..... perforations from ft. to ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.
" NO TEST UNTIL " "
" WATER " " "
Packer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.

(9) CONSTRUCTION:

Well seal—Material used
Well sealed from land surface to ft.
Diameter of well bore to bottom of seal in.
Diameter of well bore below seal in.
Number of sacks of cement used in well seal sacks
Number of sacks of bentonite used in well seal sacks
Brand name of bentonite
Number of pounds of bentonite per 100 gallons
of water lbs./100 gals.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Umatilla Driller's well number #3
NE 1/4 SE 1/4 Section 12 T. 3N R. 29 E. W.M.
Bearing and distance from section or subdivision corner
1,450' north of SE corner of Section 12 on
Section line.

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft.
Static level ft. below land surface. Date
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing
Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
18" FROM TOP TO 597'-1"			
14" FROM +1 TO 597'-1"			

Work started 8-31 1979 Completed 9/18 1979
Date well drilling machine moved off of well 9-18 1979

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] William G. ... Date 12-6, 1979
(Drilling Machine Operator)

Drilling Machine Operator's License No. 227

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name CHARLES JUNGMANN DRILLING CO.
(Person, firm or corporation) (Type or print)

Address 706 JUNIPER W.W. WASH

[Signed] Charles Jungmann
(Water Well Contractor)

Contractor's License No. 236 Date 12-6, 1979