NOTICE TO WATER WELL CONTRACTOR

(2) TYPE OF WORK (check):

(3) TYPE OF WELL:

П

Sば Driven □

PERFORATIONS:

Manufacturer's Name

Type Model No.

Was a pump test made? Yes No If yes, by whom?

Diameter of well bore below seal _______in. Number of sacks of cement used in well seal Number of sacks of bentonite used in well seal

Number of pounds of bentonite per 100 gallons

Did any strata contain unusable water?

Yes No

Gravel placed from ft. to

Type of perforator used Size of perforations

(7) SCREENS:

(8) WELL TESTS:

mperature of water

(9) CONSTRUCTION:

Brand name of bentonite

Method of sealing strata off

Well seal-Material used Cununi Well sealed from land surface to _______ 8 2.

Yield:

Artesian flow

of water

Type of water?

Jetted 🛚

Bored | CASING INSTALLED:

Deepening [

If abandonment, describe material and procedure in Item 12.

16 " Diam. from 0 ft. to 82 ft. Gage, 250 _____ft. to ______ft. Gage _____

in. by perforations from ft. to ft. perforations from _____ ft. to _____ ft. perforations from _____ ft. to _____ ft.

Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.

g.p.m.

Was a drive shoe used?

Yes ☐ No Plugs Size: location ft.

Was well gravel packed? ☐ Yes ▼ No Size of gravel:

depth of strata

gal./min. with ft. drawdown after

900 gal./min. with 292 ft. drawdown after / hrs.

Depth artesian flow encountered

Well screen installed? Yes No

Drawdown is amount water level is lowered below static level

(1) OWNER:

New Well

Name Address

Rotary

Cable

Dug

The original and first cop D E G E | VVATR WELL REPORT

Abandon 📋

State Well No.

State Permit No. .

filed with the STATE ENGINEER, SALEM, OREGON 97310 R - 1 1971 TE OF OREGON (Please type or print) within 30 days from the STATE ENGINEER write above this line) SALEM. OREGON

Reconditioning [

(4) PROPOSED USE (check):

Irrigation 😿 Test Well 🗌 Other

Domestic | Industrial | Municipal |

Threaded | Welded |

Perforated? Tyes No.

(10) LOCATION OF WELL:	=	11 -	2
County Um atilla Driller's well no	umber	·	
14 14 Section 6 T. 3 N.	R. 3	ے ر	W.M
Bearing and distance from section or subdivisi	ion corne	r	· · · · · · · · · · · · · · · · · · ·

(11) WATER LEVEL: Completed well.			
Daniel at material and the state of the stat			
		Data 1	ft.
Static level ft. below land surface. Date 2 - //- 7/ Artesian pressure lbs. per square inch. Date			
12" to 415			
(12) WELL LOG: Diameter of well 1			m 415to 67
Depth drilled 675 ft. Depth of compl			
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.			
MATERIAL	From	То .	swL
Topsoil	0	5	
Claystone Gellow	5	55	
Rolp dark red - hard	1/1	74	
Basaly	74	170	
Rock, hed	170	180	
Rock, light frown	180	140	
Baralt med.	190	235	
Rock brown - med.	320	322	
Basalt, med.	322	355	
Basalt, gray, hard	355	370	
Basalt, net	370	391	
Rasalt Ray have	537	568	
Basolt, med.	568	590	
Basalt, gray, hard	590	644	
Basalt, Gray, med	644	669	
Work started /-/3 197/ Complete	664	673	
Work started /-/3 19 // Completed 2-// 19 // Date well drilling machine moved off of well 2-/2 19 //			
	_4	12	19 //
Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.			
[Signed] Date 2-/2, 19.7/			
Drilling Machine Operator's License No. 15			
Water Well Contractor's Certification:			
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name TROY GRIFFIM			
(Person, firm or corporation) (Type or print) Address 92.5 HERM 13 TOH AVE HERM 15 TOH OPE.			
[Signed] Troy Sriffin.			
(Water Well Contractor)			
Contractor's License No Date	2-12		., 19.7/

hrş.