

NOTICE TO WATER WELL CONTRACTOR
 The original and first copy of this report
 are to be filed with the

WATER RESOURCES DEPARTMENT,
 SALEM, OREGON 97310
 within 30 days from the date
 of well completion.

RECEIVED
 UMATILLA WATER WELL REPORT
 STATE OF OREGON
 (Please type or print) MAY 10 1977
 1415

State Well No. 3N/33E-282a
 Permit No. _____

(Do not write above this line)
 WATER RESOURCES DEPT.
 SALEM, OREGON

(1) OWNER:

Name Donald D. Smith
 Address 215 N.W. Furrish
Pendleton, Oregon 97801

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
 If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
 Cable Jetted
 Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
 Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
8" Diam. from 0 ft. to 34 ft. Gage 250
6" Diam. from 395 ft. to 575 ft. Gage 250
 _____" Diam. from _____ ft. to _____ ft. Gage _____

PERFORATIONS:

Perforated? Yes No
 Type of perforator used _____
 Size of perforations _____ in. by _____ in.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No
 Manufacturer's Name _____
 Type _____ Model No. _____
 Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
 Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom?
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
 _____ " " " " " "
air 150 " 325 " 1 "
Water test 60 gal./min. with 175 ft. drawdown after 1 hrs.
 Artesian flow _____ g.p.m.
 Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Cement
 Well sealed from land surface to 34 ft.
 Diameter of well bore to bottom of seal 11 in.
 Diameter of well bore below seal 8 in.
 Number of sacks of cement used in well seal 8 sacks
 How was cement grout placed? _____

 Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
 Did any strata contain unusable water? Yes No
 Type of water? _____ depth of strata _____
 Method of sealing strata off _____
 Was well gravel packed? Yes No Size of gravel: _____
 Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Umatilla Driller's well number _____
NE ¼ NE ¼ Section 28 T. 3N. R. 33E. W.M.
 Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found _____ ft.
 Static level 475 ft. below land surface. Date 5-12-77
 Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing ^{8" to 5" 45'}
6 3/4 ft. to 575 ft. to 800 ft.
 Depth drilled 0 ft. Depth of completed well 800 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Enlarged hole			
Installed liner			

Work started 5-3 1977 Completed 5-12 1977
 Date well drilling machine moved off of well 5-13 1977

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
 [Signed] James Leitch Date 5-13, 1977
 (Drilling Machine Operator)
 Drilling Machine Operator's License No. 665

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
 Name TROY GRIFFIN
 (Person, firm or corporation) (Type or print)
 Address 900 HERMISTON AVE. HERMISTON ORE
 [Signed] Troy Griffin
 (Water Well Contractor)
 Contractor's License No. 65 Date 5-13, 1977