NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

1973 State Well No 3 N/33 E-28ab

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

(2) TYPE OF WORK (check):

(3) TYPE OF WELL:

Driven 📋

Jetted | Bored [7

Deepening |

If abandonment, describe material and procedure in Item 12.

New Well

Rotary

with - Duff Panches In

Reconditioning [

(Please type or DTATE ENGINEER

(Do not write above this She) LEM OREGON Permit No. ... (10) LOCATION OF WELL: County Umatilla Driller's well number NW 14 NE 14 Section 28 T. 37, R. 338. Bearing and distance from section or subdivision corner Abandon [] (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): Depth at which water was first found Domestic | Industrial | Municipal | ft. below land surface. Date 4-16-13 Irrigation Test Well Other Artesian pressure lbs. per square inch. Date (12) WELL LOG: Diameter of well below casing . Depth drilled ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. MATERIAL From 5 Topsoil 1.5 171 182 182 211 Z/I273 *33* z hrs. 58 676 676680 680 735 3-16 19 75 Work started 19 73 Completed Date well drilling machine moved off of well 19 23 Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief, Drilling Machine Operator's License No. 15 Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is

true to the best of my knowledge and belief.

Contractor's License No. 65 Date

(Person, firm or corporation)

Address 900 HERMISTON AVE, HERMISTIN OPE.

Name TROY GRIFFIN

(5) CASING INSTALLED: Threaded 📋 Welded 🔀 8 " Diam. from 0 ft. to 20 ft. Gage . 750 ______ft. Gage _______ft. Gage ______ " Diam. from ____ ft. to ___ (6) PERFORATIONS: Perforated? Tyes No. Type of perforator used Size of perforations in, by perforations from _____ ft. to ____ perforations from _____ ft. to _ perforations from _____ ft. to (7) SCREENS: Well screen installed? ☐ Yes 🔀 No Manufacturer's Name Model No Diam. Slot size Set from ft. to ft. Diam. Slot size Set from _____ ft. to ____ ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made?
Yes No If yes, by whom? gal./min. with gal./min. with 35 ft. drawdown after sian flow Temperature of water Depth artesian flow encountered (9) CONSTRUCTION: Well seal-Material used Cerum Well sealed from land surface to Diameter of well bore to bottom of seal Diameter of well bore below seal Number of sacks of cement used in well seal ... Number of sacks of bentonite used in well seal Brand name of bentonite Number of pounds of bentonite per 100 gallons lbs./100 gals.

Was a drive shoe used? X Yes I No Plugs Size: location ft.

depth of strata

Did any strata contain unusable water? 🔲 Yes 📜 No

Was well gravel packed? ☐ Yes ☑ No Size of gravel: ...

Type of water?

Method of sealing strata off

Gravel placed from

(Type or print)