STATE OF OREGON

RECEIVED WATER WELL REPORT (as required by ORS 537.765)

APR 17 1986 LEASE TYPE or PRINT IN INK

WATED D-	(for official use only)
(1) OWNER: SALEH, OREGON Name B. L. Davis	(10) LOCATION OF WELL by legal description: County Umatilla SW 4 SE 4 of Section 33 of
Address P.O. Box 159	i 9A) 97/5
City Adems State 8 9781	Township, Range, WM.
	Tax Lot Lot Block Subdivision
(2) TYPE OF WORK (check): New Well □ Deepening □ Reconditioning ♣ Abandon □	MAILING ADDRESS OF WELL (or nearest address)
If abandonment, describe material and procedure in Item 12.	Adams. 0 R 97810
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL of COMPLETED WELL:
Rotary Air Driven Domestic Industrial Municipal	Denth at which was a second of the second of
Rotary Mud Dug Irrigation Withdrawal Reinjection	Static level ft. below land surface. Date
_ Other:	Artesian pressure lbs. per square inch. Date
Cable	(40) ====================================
CASING INSTALLED: Steel Plastic	(12) WELL LOG: Diameter of well below casing
Threaded \square Welded \square	Formation: Describe color, texture, grain size and structure of materials; and show thickness
ft. Gauge	and nature of each stratum and aquifer penetrated, with at least one entry for each change of
	formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
LINER INSTALLED: Steel	MATERIAL From To SWI
	MATERIAL From To SWL
" Diam, from	Recorditioning Procedure -
(6) PERFORATIONS: Perforated? Yes No	Reamed hole
Size of perforations in. by in.	from 8" to 10" from
perforations from ft. to ft.	415 ft. to 55 6 ft.
ft. to ft.	7/3 / / / / / / / / / / / / / / / / / /
perforations from ft. to ft.	
(7) SCREENS: Well screen installed?	
Manufacturer's Name	
Type	
Diam. Slot Size Set from ft. to ft.	
Diam. Slot Size Set from ft. to ft.	
Dender	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Yes No If yes, by whom?	Par .
Zield: gal./min. with ft. drawdown after hrs.	
v , v	
Air test gal./min. with drill stem at ft. hrs.	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
Depth artesian flow encountered ft.	
S) CONSTRUCTION: Special standards: Yes \(\subseteq \) No \(\subseteq \)	Date work started 4-3-86 /completed 4-3-86
•	Date well drilling machine moved off of well 4-3 1986
Vell seal—Material used	(unbonded) Water Well Constructor Certification (if applicable):
Diameter of well bore to bottom of seal in.	This well was constructed under my direct supervision. Materials used and
Diameter of well bore below seal in.	information reported above are true to my best knowledge and belief.
unount of sealing material	[Signed], 19,
Now was cement grout placed?	
The state of the s	(bonded) Water Well Constructor Certification, Bond S B 36090 Issued by: Oregon Hutomobile Ins.
Vas pump installed?Type HP Depth ft.	On behalf of Patrick C. Wallace, Wallace Drille
Vas a drive shoe used?	(type or print name of Water Well Constructor)
lid any strata contain unusable water?	This well was drilled under my jurisdiction and this report is true to the
ype of Water? depth of strata	best of my knowledge and belief:
fethod of sealing strata off	(Signed) Latrick Challes
/as well gravel packed? 🗌 Yes 🗎 No Size of gravel:	(Dated) 4-/4-8 (Water Well Constructor)
ravel placed fromft. to ft	(Dated)