NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 93310 within 30 days from the date of well completion.

ORTGEIVED WATER WELL BEFORT 1974 STATE OF OREGON JUN 1 0 1974

State	Well	Nο	UN	128	E-	1	
State	wen	MO.				<u>i</u>	•••••

(Please type or print) STATE ENGINEER State Permit No.
(Do not write above this line) LEM. OREGON

(1) OWNER:	(10) LOCATION OF WELL:	
Name Dun Rollin Trailer Park; D. W. Hackler	County Umatilla Driller's well no	ımber
Address 445 E. Jennie Hermiston, Ore. 97838	14 14 Section II BAT. 4N	R28 W.M.
	Bearing and distance from section or subdivision	on corner
(2) TYPE OF WORK (check):		
New Well → Deepening □ Reconditioning □ Abandon □		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	الم
(3) TYPE OF WELL: (4) PROPOSED USE (check):		
Botomy A Drivon D		25 ft
Cable	Static level 4 ft. below land s	surface. Date6-4-74
Dug	Artesian pressure lbs. per squar	e inch. Date ~
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well h	, nama
ft. toft. Gage 250		pelow casingnone
	Depth drilled 5I ft. Depth of compl	eted well 21 ft
	Formation: Describe color, texture, grain size a and show thickness and nature of each stratur	
•	with at least one entry for each change of format	tion. Report each change in
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate prin	cipal water-bearing strata
ype of perforator used	MATERIAL	From To SWL
Size of perforations in. by in.	surface sandy soil	0 3
perforations from ft. to ft.	sand brown	3 I4
perforations from ft. to ft.	sand & gravel	14 25
perforations from ft. to ft.	gravel	25 5 I 4
(7) SCREENS: Well screen installed? Yes X No		
Manufacturer's Name		
Type Model No	·	
Diam Slot size Set from ft. to ft.		
Diam, Slot size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? ☐ Yes ☆ No If yes, by whom?		
Yield: gal./min. with ft. drawdown after hrs.		
~ · · · · · · · · · · · · · · · · · · ·		
" " "		
alr 75 gal./min. with 25 ft. drawdown after 2 hrs.		
Artesian flow g.p.m.		
perature of water Depth artesian flow encountered ft.	Work started 6-4 19 74 Complete	
(9) CONSTRUCTION:	Date well drilling machine moved off of well	6-4 ₁₉ 7
cement	Drilling Machine Operator's Certification:	
Well seal—Material used	This well was constructed under my	direct supervision
Well sealed from land surface to ft. Diameter of well bore to bottom of seal in.	Materials used and information reported best knowledge and belief.	above are true to my
Diameter of well bore below sealin.		Date 6-4 19.74
Number of sacks of cement used in well sealsacks	(Drilling Mechine Operator)	•
Number of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No.	
Brand name of bentonite		
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:	
of water lbs./100 gals.	This well was drilled under my jurisd true to the best of my knowledge and bel	
Was a drive shoe used? ♣ Yes ☐ No Plugs Size: location ft.	Name Allison Drilling Co.	101.
Did any strata contain unusable water? Yes No	R. 2 Box or Harrington,	Ore • (TS) (TS) (TS) (TS) (TS)
Type of water? depth of strata	Address	- · · · · · · · · · · · · · · · · · · ·
Method of sealing strata off	RI ON.	
	[Signed] (Water Well Control	ractor)
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	419 (Water Well Control	
Gravel placed from ft. to ft.	Contractor's License No Date	, 18.: