

RECEIVED

UMAT 2070

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

AUG 12 1964 WATER WELL REPORT

STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

STATE ENGINEER OF OREGON (Please type or print) SALEM, OREGON

State Well No. 4N/28-11

State Permit No.

(1) OWNER:

Name Leonard N. & June Crume
Address 445 E. Jennie Ave.
Hermiston, Oregon

(2) LOCATION OF WELL:

County Driller's well number
1/4 1/4 Section 11 T. 4N R. 28 W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []
If abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic [X] Industrial [] Municipal []
Irrigation [] Test Well [] Other []

(5) TYPE OF WELL:

Rotary [] Driven []
Cable [X] Jetted []
Dug [] Bored []

(6) CASING INSTALLED:

Threaded [X] Welded []
6" Diam. from 0 ft. to 31 ft. Gage 27.7

(7) PERFORATIONS:

Perforated? [] Yes [X] No
Type of perforator used
Size of perforations in. by in.

(8) SCREENS:

Well screen installed? [] Yes [X] No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal bentonite
Depth of seal 18 ft. Was a packer used? NO
Diameter of well bore to bottom of seal 9 in.
Were any loose strata cemented off? [] Yes [X] No
Was a drive shoe used? [X] Yes [] No
Was well gravel packed? [] Yes [X] No Size of gravel:
Gravel placed from ft. to ft.
Did any strata contain unusable water? [] Yes [X] No
Type of water? Depth of strata
Method of sealing strata off

(10) WATER LEVELS:

Static level 5 ft. below land surface Date Jul 17, 64
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [] Yes [X] No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
Bailer test 20 gal./min. with NO ft. drawdown after 1 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? [] Yes [] No

(12) WELL LOG:

Diameter of well below casing 6"
Depth drilled 32 ft. Depth of completed well 32 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns MATERIAL, FROM, TO. Rows include Soil, Soil and gravel, Clay and fine gravel, Grey clay, Fine gravel and water, Sand and water.

Work started July 15 1964 Completed July 17 1964
Date well drilling machine moved off of well July 17 1964

(13) PUMP:

Manufacturer's Name
Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME John Hershey Well Drilling
Address R.R.1, Box 552, Hermiston, Oregon

Drilling Machine Operator's License No. 143
[Signed] John Hershey
Contractor's License No. 315 Date July 30, 1964