NOTICE TO WATER WELL CONTROLL The original and first copy of this report are to be filed with the

STATE OF OREGON

State Well No. State Permit No. ..

STATE ENGINEER, SALEM, OREGINATE ENGINEER ype or print) within 30 days from the date of well completion.

SALEM. OR The first write above this is SALEM. OR (no not write above this line) 6-5681

(1) OWNER:	(10) LOCATION OF WELL:
Name Lamb. Weston, Inc.	County Amatilla Driller's well number
Address Part of Uma tilla.	1/4 1/4 Section 19 T. 4N. R. 28 E W.M.
John Diacept. Manager Mc Nary are	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check)!	T. C. Martin Jarm weer no. no. I
New Well   Deepening □ Reconditioning □ Abandon □	The traction farm week. Here I
If abandonment, describe material and procedure in Item 12.	
	(11) WATER LEVEL: Completed well.
	Depth at which water was first found 75 ft.
Rotary Driven Domestic Industrial Municipal Domestic Municipal	Static level 62 ft. below land surface. Date /-/2-72
Dug	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded   Welded   22 "Diam. from Oft. to 17 ft. Gage 25 5	(12) WELL LOG: Diameter of well below casing
Type of perforator used Mills Knife,	MATERIAL From To SWL
Size of perforations 1/2, in. by 3 b in.	XIII bas can discuss of 5
pare 42 perforations from 72 ft. to 92 ft.	Cambrit gravel 5 25
perforations fromft. toft.	1208en + 90000 25 40
perforations fromft, toft.	clay + grange, reclay 40 79
	grave. 75 92 62
(7) SCREENS: Well screen installed? ☐ Yes ☒No	Noch black broken 92 96 "
Manufacturer's Name	sand black Corne 96 102
Type Model No.	rock block broken 102 110 11
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is	
lowered below stand level	2-
Was a pump test made? Yes \[ \] No If yes, by whom? Patco W.	
Yield: 100 gal./min. with 35 ft. drawdown after 48 hrs.	
" " "	
" " "	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
Depth artesian flow encountered ft.	Work started /2-28 19 7/Completed /- /2 19 72
(9) CONSTRUCTION:	Date well drilling machine moved off of well /-/3 1972
Well seal-Material used Slurry & Banlonile Marelan	Drilling Machine Operator's Certification:
Well sealed from land surface to 20 ft.	This well was constructed under my direct supervision.
Diameter of well bore to bottom of seal in.	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below sealin.	[Signed] ( Le Ulli M Date 1-13, 1972
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No. 500
Brand name of bentonite Maleanal	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is
of water lbs./100 gals.	true to the best of my knowledge and belief.
Was a drive shoe used? ✓ Yes ☐ No Plugs Size: location ft.	Name allison Wila Co.
Did any strata contain unusable water?   Yes No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address Caldon 309-E Herneston are
Method of sealing strata off	[Signed] le Clly
Was well gravel packed?   Yes No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 4 9 Date 1 3 19 72