NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATES RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date

of well completion.

UMAT 2507

WATER WELL REPORT

STATE OF OREGON

State Permit No. .

(Please type or print) (Do not write above this line)

(1) OWNER:	(10) LOCATION OF WELL:
Name OFRNON + IVAN, COOK	County UMATIBLA Driller's well number 00-79
Address RT # BOX 1961 HERMISTON, UK	SW 14 NE 14 Section 23 T. 4N R. 28 E, W.M.
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 235 ft.
Rotary Driven Domestic Industrial Municipal Domestic Municipal	Static level 280 ft. below land surface. Date 10-16-
Dr Bored I Irrigation Fest Well Other	Artesian pressure lbs. per square inch. Date
(5) CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing
14" Diam. from 0 ft. to 220 ft. Gage: 250	Depth drilled //80 ft. Depth of completed well //80 ft.
"Diam. from	Formation: Describe color, texture, grain size and structure of materials;
"Diam. fromft. toft. Gage	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in
(6) PERFORATIONS: Perforated? Yes Yes	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	SEE ATTACHED
perforations from	2
perforations from ft. to ft.	
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? Tyes No	
(1) SCREENS: Well screen installed? ☐ Yes ☐ No Manufacturer's Name	
Type Model No,	
Diam. Slot size Set from ft. to ft.	B T O F IVE B
Diam. Slot size Set from ft. to ft.	TEREST STATES
(8) WELL TESTS: Drawdown is amount water level is	FEB231980
lowered below static level	
Was a pump test made? Ves No If yes, by whom?	WATER RESOURCES DEPT
1:/800 gal./min. with 30 ft. drawdown after 2 hrs.	SALEM, OREGON
<u> </u>	
H " " H " " " " " " " " " " " " " " " "	
Bailer test gal./min. with ft. drawdown after hrs.	
g.p.m.	z
remperature of water Depth artesian flow encountered ft.	Work started 9/17 19 79Completed 10-16 19 7
(9) CONSTRUCTION:	Date well drilling machine moved off of well 10-16 1979
A/EAT CAMEANT	Drilling Machine Operator's Certification:
Well sealed from land surface to 220 ft.	This well was constructed under my direct supervision.
Diameter of well bore to bottom of sealin.	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below sealin.	[Signed] Warerw Stellfield Date 11-2, 1979
Number of sacks of cement used in well-seal	(Drilling Machine Operator)
How was cement grout placed? GROUT PUMD	Drilling Machine Operator's License No. 1299
	Water Well Contractor's Certification:
· ·	This well was drilled under my jurisdiction and this report is
Vivos a delice also used a Taylor and a second	true to the best of my knowledge and relief.
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	Name WALLACE WELL STELG CO.
Did any strata contain unusable water? Yes No	(Type of print)
Type of water? depth of strata	Address ZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ
Method of sealing strata off	[Signed] all all all all all all all all all al
Was well gravel packed? Tyes No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 202 Date

UMAT 2507

Attachment for Well #00-79

aterial .	From	То	SHI
Sand	0	10	
Gravel Conglomerate	10	190	
Black Basalt	190	235	•
Black w/yellow Bassalt	235	255	Water
Black hard	255	360	, , ,
Black w/Blue	3.60	385	Water
Black	385	405	W4.001
Black w/green & yellow	405	1.15	Water
Black	415	425	na sçı
Black w/green	425	458	Water
Black	458	505	*** A O C L
Black w/blue & red	505	520	Water
Black	520	59C	Wa oct
Black w/blue & Yellow	590	625	Water
Black & Grey	625	664	111 301
Black w/blue	664	685	
Black	685	710	·
Black w/blue & yellow	710	728	
Grey	728	775	R_{L}
Black w/yellow & green	775	790	$^{1}\mathcal{L}\mathcal{L}_{\infty}$
Black	790	820	1. AL 5/1/2
Black w/ blue	820	843	WATER NOV2
Black	843	850	A Pr. 3/92
Hard Grey	850	1010	RECEIVE WATER NOV231979 SALEM, ODECES
Black	1010	1030	Op. CES
Hard Groy	1030	1077	TEGON, DEP
Black, yellow	1077	1103	WATER NOV 23 1979 SALEM, OREGON DEP
Black	1103	1125	
Hard Grey	1125	1140	
Black	1140	1165	
hurd/Groy .	1165	1150	. ,

RECEIVED

FEB231980

WATER RESOURCES DEPT SALEM, OREGON