NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

Address P. O. Box 191 Hermiston, Oregon 97838

Diam, from 0 ft. to $157\frac{1}{2}$ ft. Gage 250

in. by perforations from ft. to

Well screen installed?

Yes

gal./min. with ft. drawdown after

cement

Was a drive shoe used? 🞽 Yes 🛘 No Plugs Size: location ft.

gal./min. with 150 ft. drawdown after

Drawdown is amount water level is lowered below static level

_____ft. Gage

Diam. Slot size Set from ft. to

Was a pump test made?

Yes No If yes, by whom?

Reconditioning [7]

(4) PROPOSED USE (check):

Threaded □ Welded *

Perforated? | Yes | No.

Irrigation | Test Well | Other

(1) OWNER:

New Well 🌁

Rotary

Cable

Dug

Name Mikami Brothers

(3) TYPE OF WELL:

T

 \Box

(2) TYPE OF WORK (check):

Driven 🛚

Jetted |

Bored 🗍

PERFORATIONS:

Type of perforator used

Size of perforations

(7) SCREENS:

Manufacturer's Name

(8) WELL TESTS:

erature of water

(9) CONSTRUCTION:

Well sealed from land surface to Diameter of well bore to bottom of seal 12

Number of sacks of cement used in well seal6

Well seal-Material used

Yield:

Bailer test Artesian flow

Type of water?

Method of sealing strata off

CASING INSTALLED:

" Diam. from ft. to

Deepening [

If abandonment, describe material and procedure in Item 12.

Abandon |

(Please type or print) JUN - 71977

State Well No. 41/286-23

(Do not write above AMERICRESOURCES DEPT.A (10) LOCATION OF WELL: County Umatilla Driller's well number 34 Section 23 $_{T}4\overline{N}$ Bearing and distance from section or subdivision corner (11) WATER LEVEL: Completed well. Depth at which water was first found Static level 2I0 ft. below land surface. Date 5-13-7 Domestic 🛘 Industrial ื Municipal 🗀 Artesian pressure lbs. per square inch. Date (12) WELL LOG: Diameter of well below casing Depth drilled 370 ft. Depth of completed well 370 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. MATERIAL From surface sandy soil gravel & bolders IO cement gravel TO 38 perforations from _____ ft. to _____ ft. clay yellow 38 92 perforations from _____ ft. to _____ ft. rock brown soft 92 IOI IOI I57 clay brown **I57** rock black med. rock black soft 165 175 Diam. _____ Slot size ____ Set from ____ ft. to ____ ft. rock black soft & green clay **I75** rock black hard 229 341 34I 359 rock black soft 210 rock black hard Depth artesian flow encountered ft. Date well drilling machine moved off of well Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. (Drilling Machine Operator) How was cement grout placed? mixed cement with water and Drilling Machine Operator's License No. Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is

true to the best of my knowledge and belief.

(Person, firm or corporation) (Type or print) 2 Box 2286 Hermiston, Oregon 97838

Name Allisen Drilling Co. (Type or print) Did any strata contain unusable water?

Yes You depth of strata Was well gravel packed?

Yes No Size of gravel: Contractor's License No. 419 Date 6-4 Gravel placed from _____ ft. to _____ ft.