NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

## WATER WELL REPORT

STATE OF OREGON E C E V Estate Well No. 4N 29E - 7ac (Please type or print) E C E V Estate Well No. 6-7380 (\*\*3)

(1) OWNER:	(101/ATECARISOURCESEPEPT.
Name Raymond Purkins	County That SEEGON Driller's well number
Address Rt 3 BW 3090	0.1.1.10 6.1.2.11 2000
Hermiston, Oregon 97838	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check)!	Dearing and distance from section of subdivision corner
New Well   Deepening □ Reconditioning □ Abandon □	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	
Rotary Driven Domestic I Industrial D Municipal I	Depth at which water was first found 7.3 ft.  Static level 240 ft. below land surface. Date 4-24-78
Cable	
	Artesian pressure Ibs. per square inch. Date
5) CASING INSTALLED: Threaded   Welded	(12) WELL LOG: Diameter of well below casing 8"
8 " Diam. from ft. to ft. Gage :250	Depth drilled 480 ft. Depth of completed well 480 ft.
" Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials;
" Diam. fromft. Gage	and show thickness and nature of each stratum and aquifer penetrated.
(6) PERFORATIONS: Perforated?   Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	
Size of perforations in. by in.	MATERIAL From To SWL
perforations fromft. toft.	Topsoil 0 5 Land & grave 5 22
perforations fromft. toft.	Claristone dark brown 22 13
perforations fromft. toft.	Chystone, white 73 87
(T) CORRENC	Grand 87 112
(7) SCREENS: Well screen installed?   Yes No	Claystone, brown 112 128
Manufacturer's Name	Claratone, Wellow 128 152
TypeModel No	Rock black yyellow clarplane 152 173
Diam.       Slot size       Set from       ft. to       ft.         Diam.       Slot size       Set from       ft. to       ft.	Basalt, black 173 264
	Duck mad had 271 264
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Ruck, med black 271 295 Basser 295 322
Was a pump test made? ☐ Yes 【 No If yes, by whom?	Rock, red V/ green claystone 322 348
ield: gal./min. with ft. drawdown after hrs.	Basalx 348 362
" " "	Rock gran y green clayation. 362 408 W.B.
4ix 300 " 230 " 1"	Ruck, mid. gray 408 419
Pailer-test 150 gal./min. with 66 ft. drawdown after 1 hrs.	Basalr, black 419 442
Artesian flow g.p.m.	Basaer gran 442 463
Cemperature of water Depth artesian flow encountered ft.	Rock, black Hue Clays line 463 480 W.B.
AV	Work started 4-14 1978 completed 4-20 1978
9) CONSTRUCTION:	Date well drilling machine moved off of well 4-20 19 78
Vell seal—Material used Cenneny	Drilling Machine Operator's Certification:
Vell sealed from land surface to 163 ft.	This well was constructed under my direct supervision.  Materials used and information reported above are true to my
Diameter of well bore to bottom of sealin.	best knowledge and belief.
Diameter of well bore below seal	[Signed] Aurer Seeled Date 4/20, 19 78
Now was cement grout placed?	Drilling Machine Operator's License No. 6.65
Was Content growt praced:	
	Water Well Contractor's Certification:
The state of the s	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? 🖫 Yes 🗌 No Plugs Size: location ft.	Nama TROY GRIFFIN
lid any strata contain unusable water?   Yes Yes No	(Person, firm or corporation) (Type or print)
ype of water? depth of strata	Address 900 HERMISTON AVE, HERMISTON ORE
Alethod of sealing strata off	[Signed] Joseph Greffin-
Vas well gravel packed? ☐ Yes No Size of gravel:	(Water Well Contractor)
ravel placed fromft.	Contractor's License No. 65 Date 4-20 , 19.78