

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED JAN 24 1972

STATE OF OREGON WATER WELL REPORT

STATE ENGINEER (Please type or print)

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

STATE ENGINEER SALEM, OREGON (Do not write above this line)

UMAT 2797

State Well No. 4N/29-7

State Permit No.

(1) OWNER:

Name Ronald J. & Betty P. Furrer
Address Rt 1, Box 133, Stanfield, Oregon 97875

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven []
Cable [X] Jetted []
Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [X] Industrial [] Municipal []
Irrigation [] Test Well [] Other []

(5) CASING INSTALLED:

8" Diam. from 0 ft. to 47 ft. Gage 277
Threaded [] Welded [X]

(6) PERFORATIONS:

Perforated? [] Yes [X] No.
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 28 ft. below land surface Date 1/8/72
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [] Yes [X] No If yes, by whom?
gal./min. with ft. drawdown after hrs.
Bailer test 40 gal./min. with 2 ft. drawdown after 1 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? [] Yes [X] No

(10) CONSTRUCTION:

Well seal—Material used padded mud
Depth of seal 28 ft.
Diameter of well bore to bottom of seal 11 in.
Were any loose strata cemented off? [] Yes [X] No Depth
Was a drive shoe used? [X] Yes [] No
Did any strata contain unusable water? [] Yes [X] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [] Yes [X] No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Umatilla Driller's well number
1/4 Section 7 T. 4N R. 29 W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 8"
Depth drilled 54 ft. Depth of completed well 54 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with 4 columns: MATERIAL, From, To, SWL. Rows include Sandy soil, Gravel & clay, Clay, Gravel & water.

Work started 3 Jan 1972 Completed 7 Jan 1972

Date well drilling machine moved off of well 8 Jan 1972

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] John R. Hershey Date Jan 20, 1972
(Drilling Machine Operator)

Drilling Machine Operator's License No. 143

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME John Hershey Well Drilling
(Person, firm or corporation) (Type or print)

Address Rt 3, Box 343, Hermiston, Oregon

[Signed] John R. Hershey
(Water Well Contractor)

Contractor's License No. 315 Date Jan 20, 1972