UMAT

4N/29-18dd

The original and first copy of this report are to be filled with the JAN12 1970 STATE OF OREGON (Please type or print) STATE ENGINEER, SALEM, OREGON 97310 ENGINEER type or print) within 30 days from the date A IE ENGINEER write above this line) of well completion. SALEM, OREGON

State Permit No. ..

OALLM, OREGON	G 5387
(1) OWNER: assigned: Chowing	
	County U 111/14 Driller's well number
Address Rt. 1 Boy 141 A Standfield	SF 14 SF 14 Section 18 T. 11 N R. 29 F W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well Deepening □ Reconditioning □ Abandon □	
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	
Rotary Driven D	(12) WELL LOG: Diameter of well below casing
Cable (A. Jetted Domestic Industrial Municipal Dug Bored Irrigation (Z. Test Well Other	Depth drilled 22 2 - ft. Depth of completed well 1. 12 ft
CASING INSTALLED: Threaded Welded	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates
" Diam. fromft. toft. Gage	MATERIAL From To SWL
" Diam. from ft. to ft. Gage	SAND 8 SILF 08 0
PERFORATIONS: Perforated? Yes No.	SAND AGRAVEL 8 25 0
Type of perforator used	SANGY C/AY Brown 25 60 -
Size of perforations in. by in.	Brown Clay 60 45 65
perforations from ft. to ft.	DIGECIAY OF Shale 95 148 38
perforations from ft. to ft.	Med HAND BASALT 198 240 38
perforations from ft. to ft.	Dense Basalt, 240 343 38
perforations from ft. to ft.	Reduced Hole From
perforations from ft. to ft.	12" Dipita 6"Dia.
(E) CODE	110Ld 13 ASA/E 343 600 38
(7) SCREENS: Well screen installed? Yes No	VeseculABasatt 600 635 34
Manufacturer's Name	11AH BASALL 135 1043 94
Type Model No	
Diam. Slot size Set from the ft. to ft.	
Diam Slot size Set from ft. to ft.	
(8) WATER LEVEL: Completed well.	
Static level 38 ft. below land surface Date 9-25-69	3
esian pressure lbs. per square inch Date	
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? [] Yes (a No If yes, by whom?	
d: gal./min. with ft. drawdown after hrs.	Work started 8-20 1969 Completed 1. 15 1976
n E	Date well drilling machine moved off of well 1-/6 1976
n n n	Drilling Machine Operator's Certification:
Bailer test 50 gal./min. with O ft. drawdown after 2 hrs.	This well was constructed under my direct supervision. Materials used and information reported above are true to my best
Artesian flow g.p.m. Date	knowledge and belief.
Temperature of water 5 g Was a chemical analysis made? Yes No	[Signed] 1 [Signed] Date /- 16, 1973
10) CONSTRUCTION:	(Dritting/Macrine Operator)
Well seal—Material used Brutonite	Drilling Machine Operator's License No. 1
Depth of seal 20	Water Well Contractor's Cartiffic Atom
Diameter of well bore to bottom of sealin.	Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is
Vere any loose strata cemented off? Yes No Depth	true to the best of my knowledge and belief.
Vas a drive shoe used? ∠Yes □ No	NAME W. R. IIIE DUILING CO POUT
Old any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)
ype of water? depth of strata	Address 1045@NF.90 and 972 20
Nethod of sealing strata off	The Contract
Vas well gravel packed? ☐ Yes No Size of gravel:	[Signed] (Water Well Contractor)
ravel placed from ft. to ft.	Contractor's License No. 495 Date 1-17 1976
40.	OUR MANUFACTOR OF THE PROPERTY AND THE PROPERTY OF THE PROPERT