

of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON (Please type or print)

(Do not write above this line)

State Well No.

State Permit No.

(1) OWNER:

Name Austin Alford Address Rt 1, Box 28 Standfield Ore

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [x] Cable [] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [x] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

CASING INSTALLED:

Threaded [] Welded [x] 6" Diam. from 0 ft. to 39 ft. Gage 250

PERFORATIONS:

Perforated? [] Yes [x] No

Type of perforator used

Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No

Manufacturer's Name

Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [x] No If yes, by whom?

gal./min. with ft. drawdown after hrs.

Bailer test 32 gal./min. with 11 ft. drawdown after 4 hrs.

Temperature of water 51 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal-Material used CEMENT Well sealed from land surface to 30 ft. Diameter of well bore to bottom of seal 10 in. Diameter of well bore below seal 6 in. Number of sacks of cement used in well seal 8 sacks Number of sacks of bentonite used in well seal Brand name of bentonite Number of pounds of bentonite per 100 gallons of water Was a drive shoe used? [] Yes [x] No Plugs Size: location ft. Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County UMATILLA Driller's well number SE 1/4 SE 1/4 Section 23 T. 4N R. 29 W.M.

Bearing and distance from section or subdivision corner SE 1/4

(11) WATER LEVEL: Completed well.

Depth at which water was first found 122 ft.

Static level 3 ft. below land surface. Date

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include TOP SOIL, Brown Clay, BLUE Clay, BLACK BASALT, Broken Basalt BLACK.

Work started July 14 1973 Completed July 16 1973 Date well drilling machine moved off of well July 16 1973

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Ron Ceton Lewis Date 1973 (Drilling Machine Operator)

Drilling Machine Operator's License No. 341

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name COERELL Sealed INC. (Person, firm or corporation) (Type or print)

Address Box 813 LAGRANDE ORE

[Signed] J.P. [Signature] (Water Well Contractor)

Contractor's License No. 517 Date 9/11 1973