

The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED

State Well No.

4N/29E-30da 24

FEB 21 1978

State Permit No.

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

UMA 2909

(1) OWNER:

Name Zabransky and Sons Address Stanfield, Oregon 97875

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Cable [x] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [x] Test Well [] Other []

(5) CASING INSTALLED:

16" Diam. from 0 ft. to 70 ft. Gage 250

(6) PERFORATIONS:

Perforated? [] Yes [x] No

Type of perforator used

Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [] No If yes, by whom? gal./min. with ft. drawdown after hrs.

(9) CONSTRUCTION:

Well seal—Material used cement Well sealed from land surface to 70 ft. Diameter of well bore to bottom of seal 20 in. Diameter of well bore below seal 16 in. 49 Number of sacks of cement used in well seal 49 sacks

WATER RESOURCES DEPT.

(10) LOCATION OF WELL:

County Umatilla Driller's well number #2 SE 1/4 SW 1/4 Section 24 T. 4N R. 29 E W.M. Bearing and distance from section or subdivision corner 2600' west and 150' north from s. w. corner of S24 & 4 N R 29 E WM

(11) WATER LEVEL: Completed well.

Depth at which water was first found 160 ft. Static level 289' ft. below land surface. Date 10/29/76 Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 16" Depth drilled 1340 ft. Depth of completed well 1340 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include Soil brown sandy, Yellow clay, Gravel some black, Basalt gray hard, Basalt Red Brown W, Basalt Gray Hard, Basalt Red Soft, Basalt Black Hard, Basalt Gray Hard, Clay Gray Stickey, Basalt Gray Med. Hard, Basalt Brown, Basalt Gray Hard, Basalt Brown Soft, Basalt Gray Hard, Basalt Brown.

Work started 6/1/75 Completed 10/29/76 Date well drilling machine moved off of well 10/29/76

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] M. Collins Date 4/5, 1977 (Drilling Machine Operator)

Drilling Machine Operator's License No. 787

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name (Person, firm or corporation) (Type or print)

Address

[Signed] (Water Well Contractor)

Contractor's License No. Date, 19