NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, RESOURCES DEPARTMENT, SALEM. OREGON OFFICE within 30 days from the date of well completion.

State Well No. 4N/295-2

SALEM, OREGON 97310  within 30 days from the date of well completion.  OPERATE TO THE STATE OF T	pe or print) State Permit 1	No
WATER RESOURCES DE	PT	
(1) OWNER: SALEM, OREGON	(10) LOCATION OF WELL:	#1
Name JACH ZABRONSHY	County UM27/11 Driller's well n	A '
Address STANFICIO ORE	St vist van AC - 1181 ACE	
	Bearing and distance from section or subdivision corner	
(2) TYPE OF WORK (check):	bearing and distance from section or subdivis	ion corner
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐		
If abandonment, describe material and procedure in Item 12.	(11) SWARRED I WYNY C	-
(3) TYPE OF WELL: (4) PROPOSED USE (check):	— (11) WATER LEVEL: Completed well.  Depth at which water was first found (/2.6) ft.	
Rotary Driven Domestic Industrial Municipal Domestic	Static level 2/0 ft. below land	surface. Date 2:29-37
Dug ☐ Bored ☐ Irrigation		/
CASING INSTALLED: Threaded   Welded	Artesian pressure lbs. per square inch. Date  (12) WELL LOG: Diameter of well below casing 7/8	
ft. to	Diameter of wen below casing	
"Diam. from EXISTANG ft. Gage	Depth drilled 37 ft. Depth of completed well 1137 ft.	
	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,	
PERFORATIONS: Perforeted?   Ver     No.	With at least one entry for each change of forma	tion. Report each change in
Terrorated:   1es   No.	position of Static Water Level and indicate prin	cipal water-bearing strata.
Type of perforator used	MATERIAL	From To SWL
Size of perforations in. by in.	BASALT BIECK	1100 1120
perforations from ft. to ft.	Black + Ren	1120 1137
perforations from ft. to ft.		
perforations from ft. to ft.		
(7) SCREENS: Well screen installed? Yes No		
Manufacturer's Name		
Type Model No.		
Diam. Slot size Set from ft. to ft.		-
Diam. Slot size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is		
lowered below static level		
Was a pump test made?  Yes No If yes, by whom?		
Yield: gal./min. with _ft. drawdown after hrs.		
" " " " " " " " " " " " " " " " " " " "		
" " " " " " " " " " " " " " " " " " " "		
Bailer test gal./min. with ft. drawdown after hrs.		
Artesian flow g.p.m.	=1, .	
perature of water 68 Depth artesian flow encountered ft.		
	Work started 2-26 19 77 Complete	d 2-28 19 79
(9) CONSTRUCTION:	Date well drilling machine moved off of well	2+38 1979
Well_seal—Material used	Drilling Machine Operator's Certification:	. <b>*</b> • •
Well sealed from land surface to ft.	This well was constructed under my	direct supervision.
Diameter of well bore to bottom of seal in.	Materials used and information reported best knowledge and belief.	above are true to my
Diameter of well bore below seal in.		Date 3=16 , 19.79
Number of sacks of cement used in well seal sacks	(Drining Machine Operator)	
How was cement grout placed?	Drilling Machine Operator's License No.	993
	Water Well Contractor's Certification:	
The state of the s	This well was drilled under my jurisdiction and this report is	
Was a drive shoe used? Tyes No Plugs Size: location ft.	true to the best of my knowledge and belief.	
Did any strata contain unusable water?  Yes No	Name Lang Bund Well Drilling	
Type of water? depth of strata	(Person, firm or corporation)  Address Paral Latin CVV	(Type or print)
Method of sealing strata off	Address Rendlators on	
Was well gravel packed?   Yes No Size of gravel:	[Signed] (Water Well Contractor)	
Gravel placed from ft. to ft.	Contractor's License No. 544 Date 2	
	Date	19£1