

RECEIVED

UMAT 2950

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

MAR 30 1964 WATER WELL REPORT

State Well No. 4N/29-31D

STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

STATE ENGINEER (Please type or print)

G-3753

State Permit No.

(1) OWNER:

Name Fred C. Rypser
Address Box 261
Stanfield Oregon

(2) LOCATION OF WELL:

County Yamhill Driller's well number 29E
N.W. 1/4 N.W. 1/4 Section 31 T. 4N R. 28E W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well [X] Deepening [ ] Reconditioning [ ] Abandon [ ]
If abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic [X] Industrial [ ] Municipal [ ]
Irrigation [ ] Test Well [ ] Other [ ]

(5) TYPE OF WELL:

Rotary [ ] Driven [ ]
Cable [X] Jetted [ ]
Dug [ ] Bored [ ]

(6) CASING INSTALLED:

Threaded [ ] Welded [X]
8" Diam. from 0 ft. to 20 ft. Gage 0.250
6" Diam. from 0 ft. to 60 ft. Gage 0.250

(7) PERFORATIONS:

Perforated? [ ] Yes [X] No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.

(8) SCREENS:

Well screen installed? [ ] Yes [X] No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal-Material used in seal Puddle Clay
Depth of seal 0 to 20 ft. Was a packer used?
Diameter of well bore to bottom of seal 10 in.
Were any loose strata cemented off? [ ] Yes [ ] No Depth
Was a drive shoe used? [X] Yes [ ] No
Was well gravel packed? [ ] Yes [ ] No Size of gravel:
Gravel placed from ft. to ft.
Did any strata contain unusable water? [ ] Yes [X] No
Type of water? Depth of strata
Method of sealing strata off

(10) WATER LEVELS:

Static level 40 ft. below land surface Date 3/26/64
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [ ] Yes [ ] No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
Bailer test 30 gal./min. with 5 ft. drawdown after 1 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? [ ] Yes [ ] No

(12) WELL LOG:

Diameter of well below casing 6"
Depth drilled 90 ft. Depth of completed well 90 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns MATERIAL, FROM, TO. Handwritten entries: Topsoil (0-2), Clay + Gravel (2-50), Clay (50-90).

Work started 3-28 1964 Completed 3-26 1964
Date well drilling machine moved off of well 3-26 1964

(13) PUMP:

Manufacturer's Name
Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME TROY GRIFFIN (Type or print)
Address 881 HERMISTON AVE., HERMISTON, ORE.
Drilling Machine Operator's License No. 15
[Signed] Troy Griffin (Water Well Contractor)
Contractor's License No. 65 Date 3-26 1964