NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

WATER WELL REPORT CEIVED

STATE OF OREGON MAY 3 1974

State Well No. 4N 29E-32

(Please type or print)	(A)	# ~ **	-,	
(Do not write above this fine) TE	ENGIN	VEER State	Permit No.	442211711111111111111111111111111111111
	OPE			

(1) OWNER:	(10) LOCATION OF WELL:				
Name Del Harmon now Scatt Cruickshank Councer)	County Umatilla Driller's well nu	- 1 . I/2 AM	· · · · · · · · · · · · · · · · · · ·	No. 127	
Address Box 252(post Office) Stanfield, Ore.	34 34 Section 32 T4N	R. 29	,	W.M.	
	Bearing and distance from section or subdivision	on corner	•		
(2) TYPE OF WORK (check):					
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	-				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 35			ft.	
D-t D Deliver D	Static level 30 ft. below land surface. Date 5-1-74				
Cable					
Dug ☐ Bored ☐ Irrigation ☑ Test Well ☐ Other ☐	Artesian pressure Ibs. per squar	e inch.	Date		
CASING INSTALLED: Threaded □ Welded	(12) WELL LOG: Diameter of well h		ing I	0	
10 "Diam. from 0 ft. to 120.6 ft. Gage 250			てるの	ft.	
" Diam. from ft. to ft. Gage	Beput a med 1,70				
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and show thickness and nature of each stratus	ind struct	ture of n juifer pe	netrated,	
	with at least one entry for each change of forma	tion. Repo	ort each c	change in	
PERFORATIONS: Perforated? Yes \(\square\) No.	position of Static Water Level and indicate prin	cipai wai	er-vearm	ty stratu.	
Type of perforator used torch	MATERIAL	From	То	SWL	
Size of perforations I/8 in. by 3 in.	eshy soil	0	_3		
58 perforations from IIO ft. to I20 ft.	clay yellos	0	35		
perforations from ft. to ft.	gravel	35	42	30	
perforations fromft. toft.	clay brown	42	78	30	
	gravel	78	88	30	
(7) SCREENS: Well screen installed? ☐ Yes ♣ No	clay grey	88	I08	30	
Manufacturer's Name	gravel fine	108	118	30	
Type Model No.	clay grey	II8	127	30 30	
Diam. Slot size Set from ft. to ft.	rock black	127	130	70	
Diam. Slot size Set from ft. to ft.		 		 	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level					
Was a pump test made? ☐ Yes ☐ No If yes, by whom?			<u> </u>	<u> </u>	
Yield: gal./min. with ft. drawdown after hrs.				 	
" " " " " " " "		 		 	
" " "		 	 		
Bailer test 60 gal./min. with 0 ft. drawdown after 2 hrs.	- The state of the	-	ļ	 	
				 	
Artesian flow g.p.m.	1, 06		!	19 74	
perature of water Depth artesian flow encountered ft.	Work started 4-26 1974 Complete			19 7	
(9) CONSTRUCTION:	Date well drilling machine moved off of well			19 .	
Well seal—Material usedcement	Drilling Machine Operator's Certification	:			
Well sealed from land surface to	This well was constructed under my Materials used and information reported	direct	t super	cvision. e to mv	
Diameter of well bore to bottom of sealin.	best knowledge and belief	above	arc arc		
	[Signed] 1 1 to 1 Alleren	Date 5:	-2	, 1974	
Number of sacks of cement used in well seal5sacks	(Drilling Machine Operator)	X 00	`		
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.				
Brand name of bentonite	Water Well Contractor's Certification:				
Number of pounds of bentonite per 100 gallons		liation o	nd this	report is	
of waterlbs./100 gals.	This well was drilled under my jurisc true to the best of my knowledge and be	lief.	na mns	rebore is	
Was a drive shoe used? Types I No Plugs Size: location ft.	Name Allison Drlg. Co.				
Did any strata contain unusable water? 🔲 Yes 🔁 No	(Person, firm or corporation)		ype or pr	-	
Type of water? depth of strata	Address R. 2 Box 309 G Hermisto	n,0r	e. 978	138	
Method of sealing strata off	S. S. Stores	24			
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	[Signed] (Water Well Con	tractor)		74	
	Contractor's License No Date			-	
Gravel placed from ft. to ft.	Contractor a Literiae 110.			,	