State Well No.

TATE ENGINEER, SALEM 10, OREGON
within 30 days from the date of well completion.

State Permit No. .

(1) OWNER:		(11) WELL	TESTS: Dragiowe nade? ☐ Yes X No.	wdown is amount vered below static le	vel	s
Name Ford D. Roberts	Yield:	gal./min. with	ft. drawdown after		hrs.	
Address 809 N W 11th		,,	"	,,		**
Pendleton, Ore		"	,,	25		. ,,
(2) LOCATION OF WELL:		Bailer test 40	gal./min. with	30 ft. drawdo	wn after	1 hrs.
County Umatilla Driller's well	number	Artesian flow	g.p.	m. Date		
14 E 14 Section / H T.	// R. 32 W.M.	Temperature of	water Was a	chemical analysis	made? 🔲 Ye	s 🗐 No
Bearing and distance from section or subdivisi	on corner	(10) MITET I	TOC.		. 0	
		(12) WELL	125	er of well below ca		
		Depth drilled	<del></del>	oth of completed w	***	
	- 12. 12. 12. 12. 12. 12. 12. 12. 12. 12.	Formation: Description show thickness of stratum penetrate	ribe by color, chara f aquifiers and the ed, with at least or	cter, size of materi kind and nature of ie entry for each o	the materia change of fo	l in each ormation.
			MATERIAL		FROM	TO
(3) TYPE OF WORK (check):		Soil			0	20
	ditioning	Gravel			20	29
If abandonment, describe material and procedure in Item 12.			gravel		29	188
	1		lack hard		188	217
(4) PROPOSED USE (check):	(5) TYPE OF WELL:		ed soft		217	228
Domestic 🖫 Industrial 🗌 Municipal 🗎	Rotary □ Driven □   Cable 🔼 Jetted □		lack soft	(water)	228	245
Irrigation ☐ Test Well ☐ Other ☐	Dug 🛮 Bored 🗎		ray hard		245	250
(6) CASING INSTALLED: Three	aded Welded		, , , , , , , , , , , , , , , , , , , ,			
8" Diam. from ft. to						
"Diam. from ft. to			1			
" Diam. from ft, to	ft. Gage					
(7) PERFORATIONS: Per	rforated? 🗆 Yes 📮 No					·
Type of perforator used						
Size of perforations in. by	in.					
perforations from	ft. to ft.					
perforations from			-	1.		
perforations from						
perforations from					ļ <u>.</u>	
perforations from						
		-				
(8) SCREENS: Well screen inst	talled? 🗌 Yes 🛣 No		-			
Manufacturer's Name		·				
ype	Iodel No					
Diam Slot size Set from		Work started	8-24-63 19	. Completed	10-8-0	5 2 19
Diam. Slot size Set from	Date well drilling	ng machine moved	off of well 10.	-15 <u>63</u>	19	
(9) CONSTRUCTION:	Gement	(13) PUM				
•	1_	Manufacturer's Name				
Depth of sealft. Was a	Type:	.,		H.P		
Diameter of well bore to bottom of seal		Water Well C	ontractor's Certif	ication:		
Were any loose strata cemented off? ☐ Yes	KNo Depth	· 1	was drilled unde		and this	report is
Was a drive shoe used? ☐XYes ☐ No	Ci2 amound.	I true to the be	est of my knowled		i and mis	report is
_ X	Size of gravel:	· [	•			
Gravel placed from ft. to	- NAMBenI	NAMBen Drever Drilling Contractor  RT,1 Box 225 Hermiston, Ore.				
Did any strata contain unusable water?			,1 'Box 225'	Hermiston	, Ore.	
Type of water? Depth of	! strata	Address	医医牙骨 电光光 化 化多元 化 化 化 化 化 化 化 化 化 化 化 化 化 化 化 化 化			
Method of sealing strata off	Drilling Mach	Drilling Machine Operator's License No. 126				
(10) WATER LEVELS:		[Signed]	Bench	Mater Well Contract		
	d surface Date 10-8-6	<b>1</b>	. '	Date 10=		10
Artesian pressure lbs. per sq	uare inch Date	Contractor's	License No	التاللاساسة عامالا سيور		, ±0

(USE ADDITIONAL SHEETS IF NECESSARY)

MEER Jord Robertsons

Tract I Beginning at the East Quarter Corner of Section 14, Township 1 North, Range 32; thence North Oo28' West along the East boundary of said Section a distance of 759 feet to the point of beginning of this description; thence North Oo28' West a distance of 415.00 feet; thence South 89032\* West a distance of 369.88 feet to the West boundary of that tract of land conveyed to Tracy C. Holmes by deed in Book 149, page 53, of the Deed Records of Umatilla County, Oregon; thence South 13000' East along said West boundary a distance of 225.03 feet; thence South 59009 East a distance of 375.8 feet to the East boundary of said Section 14 and the point of beginning.

Excepting any and all roads.

All being East of the Willamette Meridian, in the County of Umatilla and State of Oregon.

Tract II Beginning at a point on the East boundary of Section 14, from which point the one-quarter corner between Sections 14 and 13 bears South 0o28' East 379 feet; thence North 0o28' West along the East boundary of said Section 14,377.9 feet; thence South 31050' West 275.5 feet; thence South 1030' West 139.9 feet; thence South 88026 t East 152.2 feet to the point of beginning.

Excepting any and all roads.

All being in Township 1 North, Range 32, East of the Willamette Meridian, in the County of Umatilla and State of Oregon.

WELL IDENTIFICATION FORM 298 Owner's Well Number:
CURRENT WELL OWNER: COMPLETED Phone: 2716-1957
Name: Phil Musgrove
Name: Phil Musgrove  Mailing Address: 69748 Shaw Ro
City: Rendleton State: OR zip: 97801
If a well report <u>is</u> available for this well, please attach a copy of it to this form and return. It is not necessary for you to complete the remainder of the form if the well report is attached. If a well report <u>is not</u> available, please complete the remainder of the form to the best of your <b>RECEIVED</b>
WELL LOCATION: UMAT 298 FEB 1 7 1999
County: Latitude: Longitude: WATER RESOURCES DEPT.
Township: Nor S, Range: 32 E or W Section: 1/4 1/4
Tax Lot Number: 4101
Street Address of Well (if different from above):
WELL INFORMATION:
Start Card Number: NOT AVAIL. Approx. Construction Date: 1965
Well Constructor: NOT KNOWN
Name of Owner at Time of Construction: <u>Joseph Robert Sonl</u>
Well Depth (in feet): Static Water Level (in feet):
Diameter of Exposed Well Casing (in inches):
Does this well have a formal water right associated with it? Yes: No: If yes: doct
Application #: Permit #: Certificate #:
Please Return Completed Form to:  Oregon Water Resources Department 158 12th Street NE Salem, OR 97310
Well Identification Number: (Office use only)