

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

RECEIVED APR 28 1966 STATE ENGINEER SALEM OREGON

WATER WELL REPORT

STATE OF OREGON (Please type or print)

UMAT 3053

State Well No. 4N/34-24 J

G-4301

State Permit No.

(1) OWNER:

Name Mr. Lawrence Beamer Address Adams, Oregon

(2) LOCATION OF WELL:

County Umatilla Driller's well number 1/4 Section 24 T. 4N R. 34E W.M. Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

Well [X] Deepening [ ] Reconditioning [ ] Abandon [ ] Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic [X] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ]

(5) TYPE OF WELL:

Rotary [ ] Driven [ ] Cable [X] Jetted [ ] Dug [ ] Bored [ ]

(6) CASING INSTALLED:

Threaded [ ] Welded [X]

8" Diam. from 0 ft. to 34 ft. Gage 330

(7) PERFORATIONS:

Perforated? [ ] Yes [X] No

Type of perforator used

Size of perforations in. by in. perforations from ft. to ft.

(8) SCREENS:

Well screen installed [ ] Yes [X] No

Manufacturer's Name Model No. Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal cement & puddled clay Depth of seal 34 ft. Was a packer used? no Diameter of well bore to bottom of seal 10 in. Were any loose strata cemented off? [ ] Yes [X] No Depth Was a drive shoe used? [ ] Yes [ ] No Was well gravel packed? [ ] Yes [X] No Size of gravel: Gravel placed from ft. to ft. Did any strata contain unusable water? [ ] Yes [X] No Type of water? Depth of strata Method of sealing strata off

(10) WATER LEVELS:

Static level 35 ft. below land surface Date 4/25/66 Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [ ] Yes [X] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Bailer test 22 gal./min. with 80 ft. drawdown after 1 hrs. Artesian flow g.p.m. Date Temperature of water 54 Was a chemical analysis made? [ ] Yes [X] No

(12) WELL LOG:

Diameter of well below casing 8

Depth drilled 358 ft. Depth of completed well 358 ft.

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns MATERIAL, FROM, TO. Rows include Soil, Cement gravel, Black Basalt, Brown basalt (broken), Black basalt, Sandy clay-brown, Black basalt, Sandy clay-brown, Broken rock & clay, Black basalt, Broken brown basalt, Broken black basalt, Grey clay, Broken black basalt (water bearing).

Work started 3/29/66 19 Completed 4/25/66 19 Date well drilling machine moved off of well 4/26/66 19

(13) PUMP:

Manufacturer's Name Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME D.K. SMITH (Person, firm or corporation) (Type or print)

Address P.O. BOX 179 WALLA WALLA, WASHINGTON

Drilling Machine Operator's License No. 367

[Signed] D.K. Smith (Water Well Contractor)

Contractor's License No. 204 Date 4/26/66 19