NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the <b>WATER WE</b>	LL REPORT UMAT		1	÷.	
	ORECON $(2626)$ state Well No.	4N1	31F-	2 nbd	
WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310	RCES DEPARTMENT, OREGON 97810 ays from the days				
of well completion. "ATER and " \$ 1980 not write a	bove this line) State Permit I	No		manificationality of the 10	
(1) OWNER: Name Meadowood Speech Camp	(10) LOCATION OF WELL:				
Name Meadowood Speech Camp	County Umatilla Driller's well number				
Address P.O. Box 1025, Pendleton, Or. 0 9783x	SE 14 NW 14 Section 32 T. \$ 4N		37E		
.97801	Bearing and distance from section or subdivision corner			W.M.	
(2) TYPE OF WORK (check):	Bearing and distance from section of subdivision corner				
New Well 🛐 Deepening 🗌 Reconditioning 🗋 Abandon 🗌					
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Double of which which which is 79				
Rotary 🖸 Driven 🗋 Domestic 🗋 Industrial 🗇 Municipal 🗇	Static level 120 ft. below land surface. Date 6-6-80				
Image: Solution in the second seco				0-0-0	
	Artesian pressure lbs. per squa	re inch.	Date		
(5) CASING INSTALLED: <u>6</u> $H_1$ $H_1$ $H_2$ Threaded $H_2$ Welded $H_2$ <u>19</u> $H_2$	(12) WELL LOG: Diameter of well below casing61				
	Depth drilled 225 ft. Depth of completed well 225 ft.			5 ft.	
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials:				
The Gage	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in				
(6) PERFORATIONS: Perforated?  Ves K No.	position of Static Water Level and indicate prin	ncipal wa	ort each ter-beari	change in ng strata.	
Type of perforator used	MATERIAL	From	То	SWL	
Size of perforations in. by in.	Top Soil	0	4		
	Light brown clay	4	6	:	
perforations from ft. to ft.	White clay	6	12	·	
perforations from ft. to ft.	Brown Broken Basaltw/red clay		14		
(7) SCREENS: Well screen installed?	Black Basalt	14	49		
(1) SCREENS: Well screen installed? □ Yes 善 No Manufacturer's Name	Gray Basalt	49	61		
Type Model No	Brown Basalt Red Cinders	61	69		
Diam Slot size Set from ft. to ft.	Brown Basalt 1st WB	69 79	79 82	801	
Diam Slot size Set from ft. to ft.	Black Basalt	82	180	-00	
(8) WELL TESTS. Drawdown is amount water level is	Brown Broken Basalt WB	180		120'	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Black Basalt	194	225		
s a pump test made? Were KNo If yes, by whom? Air Blown		<b>F</b> 2			
Yield: 4 gal./min. with 74 ft. drawdown after 3 hrs.	<u> </u>	IJ			
	-JUN 1 6 1980				
II		· · ·	· · · ·	<u> </u>	
iler test gal./min. with ft. drawdown after hrs.	WATER RESOURCES	DEPT			
Artesian flow g.p.m.	SALEM, OREGON			·	
Temperature of water Depth artesian flow encountered ft.	Work started 6-4 19 Complete	ed 6-6	5	1980	
(9) CONSTRUCTION:	Date well drilling machine moved off of well 6-6 1980				
Well seal-Material used Portland Cement	Drilling Machine Operator's Certification:				
Well sealed from land surface toft	This well was constructed under my direct supervision.				
Diameter of well bore to bottom of seal in.	Materials used and information reported best knowledge and helfer	above a	re true	to my	
Diameter of well bore below seal	The state of a land and and and and and state				
Number of sacks of cement used in well seal	(Drilling Machine Operator)				
How was cement grout placed?	Drilling Machine Operator's License No.	1411	<u></u>		
	Water Well Contractor's Certification:	v	-	a an	
	This well was drilled under my jurisdiction and this report is				
Was a drive shoe used?  Ves 2 No Plugs	true to the best of my knowledge and belief				
Did any strata contain unusable water? [] Yes 2 No	Name Columbia Basin Well Drilling Co. (Person, firm or corporation) (Type or print)				
Type of water? depth of strata	Address <u>Rt. 1, Box 1961, Hermiston</u> , Or. 97838				
Method of sealing strata off	4 1				
Was well gravel packed? 🖸 Yes 🙀 No Size of gravel:	[Signed] (Water Well Contractor)				
Gravel placed from ft. to ft.	المشيسيسية أسأسا للأباهية بالمالي الأستاد الم		-sn	10	
(USE ADDITIONAL SH		Ø		., 19	
(USE ADDITIONAL SH	DALO IF NECESSARY)		SP	*45656-119	