	3 352 PORT	2 /N/32F-300	
WATER RESOURCES DEPARTMENT, ALEM, OREGON 97310 MAR 0 9 1979 Please type	or print) (UNIA)	To. ,	
WAIRI INCOORDED DEI 1.	330		
(1) OWNER:	(10) LOCATION OF WELL:	R	
Name JERRI SIMPSON	County UNETILLA Driller's well n		
Address SPARKS ROAD FILOTROCK	3W % NE% Section 30 T. IN	R. 32 W.M.	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivis	ion corner	
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐		=	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	/4/0 _{ft.}	
Rotary Driven Domestic Industrial Municipal	Static level 90 ft. below land	surface. Date	
Cable	Artesian pressure lbs. per square inch. Date		
	The state of the s	a. = 8	
CASING INSTALLED: Threaded Welded To the Cage 250	(12) WELL LOG: Diameter of well		
		leted well 600 ft.	
ft. toft. Gage	Formation: Describe color, texture, grain size and show thickness and nature of each stratu		
PERFORATIONS: Perforated? Yes 12-No.	with at least one entry for each change of forms position of Static Water Level and indicate printing the control of the contr	ation. Report each change in	
	MATERIAL	From To SWL	
Type of perforations of the by in.	SOIL.	0 10	
performing for 1979 ft. to ft.	BLACK BASALT	10 40	
	BROWN BASALT	40 50	
WATER RESOURCES DEPT to ft.	BLACK BASALT	50 70	
(7) SCREENS: Well screen installed? Yes 1980	BROWN /SOADSTONE	70 107	
	BLACK BAGALT	107 135	
Manufacturer's Name	BROWN BASALT	135 142	
Diam. Slot size Set from ft. to ft.	BLACK BASALT	142 180	
Diam. Slot size Set from ft. to ft.	BLACK SOAD STONE	187 200	
(2) WELL TESTS. Drawdown is amount water level is	BLACK/SOADSTONE	200 225	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	BLACK/SOADSTONE	225 230	
Was a pump test made? ' Yes No If yes, by whom?	GRAY BASALT	230 255	
Yield: 4552 gal./min. with 1/6 ft. drawdown after / hrs.	GRAY ISOAD STONE	255 270	
2220 " 26 " / "	GRAV BASALT	270 295	
и и и	BLACKISOAPSTONE	313 313	
Bailer test gal./min. with ft. drawdown after hrs.	BLACK ISOADSTONE	3/9 335	
Artesian flow g.p.m.	SEE PAGE 2 CONT		
mperature of water Depth artesian flow encountered ft.	Work started 12-19 1978 Complete	ted /2-23 1978	
(9) CONSTRUCTION:	Date well drilling machine moved off of well	12-24 1978	
Well seal—Material used PORTLAND CEMENT	Drilling Machine Operator's Certification	•	
Well sealed from land surface toft.	This well was constructed under my Materials used and information reported		
Diameter of well bore to bottom of sealin.	best knowledge and belief.	_	
Diameter of well bore below seal	[Signed] Larry Harsin	Date 12-24, 1975	
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator) Drilling Machine Operator's License No.	992	
How was cement grout placed? Tomme pipa	Driffing Machine Operator's License No.		
100 mm	Water Well Contractor's Certification:		
· ·	This well was drilled under my jurisc		
Was a drive shoe used? ☐ Yes ☑ No Plugs Size: location ft.	true to the best of my knowledge and be	elief.	
Did any strata contain unusable water? Yes No	Name Javy Burgh (Glerson, firm or carpogration)	(Type or print)	
Type of water? depth of strata	Address Prolleton	ny	
Method of sealing strata off	[Signed] Darry Burel		
Was well gravel packed? Tyes No Size of gravel:	(Water Well Cont	4.40	
Gravel placed from ft. to ft.	Contractor's License No	12-24 , 19/8	

NOTICE TO WATER WELL CONTRACTOR

UMAT 332
TER WELL REPORT Page 2 OF 2
TATE OF OREGON
State Well No.

WATER RESOURCES DEPARTMENT ECEIVED

Within 30 days from the date of well completion.

MAR 0 9 1979

(Please type or print) MAR 0 9 1979 not write above this line)

State	Permit	No.	

WATER RESOURCES DEPT.		
(1) OWNER: SALEM, OREGON Name SALEM, OREGON	(10) LOCATION OF WELL: County Driller's well no	$_{ ext{imber}}$
Address SAARKS RO PILOT ROCK OF E	Bearing and distance from see the or subdivisi	R. W.M.
(2) TYPE OF WORK (check):		on corner
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	MAR 2 2 1979	
If abandonment, describe material and procedure in Item 12.	(11)WWIERER ESCUECES OFFICE w	الم:
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at wis ALEM, CREGON	ft.
Rotary Driven Domestic Dindustrial Municipal Domestic Domestic Municipal Domestic Do	Static level ft. below land s	urface. Date
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Artesian pressure lbs. per squar	e inch. Date
CASING INSTALLED: Threaded Welded		pelow casing
"Diam. from ft. to ft. Gage ft. Gage ft. Gage	Depth drilled 600 ft. Depth of compl	eted well 600 ft.
"Diam. from	Formation: Describe color, texture, grain size and show thickness and nature of each stratu with at least one entry for each change of forma	m and aquifer penetrated,
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate prin	cipal water-bearing strata.
Type of perforator used	CONT. MATERIAL PAGE 1	From To SWL
Size of perforations in. by in.	BLACK BASALT	3.35 360
perforations from ft. to ft.	BLACK BASALTISS	360 425
perforations from	BLACK BASALT	1/25 450
perforations from ft. to ft.	BLACK 150AYSTONE	430 4/3
(7) SCREENS: Well screen installed? Yes You	CORAL BASALT	490 445
Manufacturer's Name	BLACK/SOADSTONE	495 502
Type Model No.	GRAVBAGALT	502 533
Diam. Slot size Set from ft. to ft.	GRAV/SOAD STONE	523 547
Diam. Slot size Set from ft. to ft.	GRAY / BROWN /SS	547 535
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	BLACK / SOAP STONE	555 563
A C	GRAY /SOAPSTONE	563 569
Was a pum test made? The I No If yes, by whom? DRILLER	GRAY ISOA PSTONE	264 37/
Yield: gal./min. with ft. drawdown after hrs.	BIACULACOUNTSS	501 501
и и	BOUNGAROCTANE	540 600
<i>n n n</i>	per	
Bailer test gal./min. with ft. drawdown after hrs.		
Artesian flow g.p.m.		
hperature of water Depth artesian flow encountered ft.		ed 12-19 1978
(9) CONSTRUCTION	Date well drilling machine moved off of well	19
Well seal—Material used PORTLAND CEMENT	Drilling Machine Operator's Certification:	
Well sealed from land surface to ft.	This well was constructed under my Materials used and information reported	
Diameter of well bore to bottom of sealin.	best knowledge and belief.	•
Diameter of well bore below sealin.	[Signed](Drilling Machine Operator)	Date, 19
Number of sacks of cement used in well seal sacks How was cement grout placed?	Drilling Machine Operator's License No.	
	Water Well Contractor's Certification:	
	This well was drilled under my jurisd true to the best of my knowledge and bel	iction and this report is
Was a drive shoe used? Yes No Plugs Size: location ft.		
Did any strata contain unusable water? Yes No	Name (Person, firm or corporation)	(Type or print)
Type of water? depth of strata	Address	~#P************************************
Method of sealing strata off	[Signed](Water Well Cont	************************************
Was well gravel packed? [Yes [No Size of gravel:	(Water Well Cont	ractor)
	Contractoria Ticonas No.	10



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem Oregon 97301 (503) 986-0900 www.wrd.state.or.us

Application for Well ID Number

Do not complete if the well already has a Well I.D Number.

I. OWNER INFORMATION	i		
Current Owner Name (please p	rint): J. G Simpson Inc		
Mailing Address: 68732 Mil	l Rd.		
City: Pendleton	State: OR	Zip:	97801
Mailing Address (to send Well	I.D.):68732 Mill Rd		
City: Pendleton		Zip:	97801
II. <u>WELL INFORMATION</u> (Do not complete this section if the well repor	t is attached.)	
Township: Well Log is Atta	ached (North/South) Range:	(East/West)	Section:
Tax Lot:	County:	1/4	1/4
Street Address of Well:	County:	City:	
Owner at time the well was cor	nstructed, (if known):		
If the property had a different s	treet address in the past:		
Date Well Constructed:	on, commercial, industrial, monitoring): Wel Total Well Depth: G-16547 requires a Well ID Number	Casing	Diameter:
SUBMITTED BY (please print		_	-
PHONE: (541)276-0158	FAX:	_	
	ater Resoureces Department; 725 Summer St and Well I.D. Numbers are mailed every		n 97301-1266; fax (503) 986-
Received Date:	For Official Use Only by the Oregon Water Well Log Numb	er: Well	Identification #:

Last Update: 11/04/08 Well I.D. Number/ 1 WCC