WATER WELL REPORT STATE OF OREGON



RECEIVED

MAY 1 7 1982

State Well No.

WATER RESOURCES DEPT State Permit No. SALEM, OREGON

<i>1</i> 0	1. A.	•
Reca	della	und

(1) OWNER:	(10) LOCATION OF WELL:	
Name John Straughan	County Um atilla Driller's well number	
Address UR+ 1 BH 563	SE 4 Section 3 T. 171. R. 33 E. W.M.	
City Pendleton State Op. 97801	Tax Lot # Lot Blk Subdivision	
(2) TYPE OF WORK (check):	Address at well location:	
New Well □ Deepening □ Reconditioning 🛣 Abandon □	(11) WATED I EVET - Completed well	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 20 ft. Static level 270 ft. below land surface. Date 4-36-8	
Rotary Air 🐼 Driven 🛘 Domestic 🗀 Industrial 🗀 Municipal 🗀	Static level 270 ft. below land surface. Date 4-36-8 Artesian pressure lbs. per square inch. Date	
Rotary Mud		
	(12) WELL LOG: Diameter of well below casing	
(5) CASING INSTALLED: Steel Flastic Welded Welded Welded F. Diam. from ft. to 5 ft. Gauge 250	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level	
LINER INSTALLED:	MATERIAL From To SWL	
ft. Gauge	THOM TO SWE	
(6) PERFORATIONS: Perforated? Yes No	Reamed were from	
Type of perforator used Size of perforations in. by in.	0' to 500'	

perforations from	10" to 12"	
perforations fromft. toft.		
perforations from		
(7) SCREENS: Well screen installed? ☐ Yes ▼No		
Manufacturer's Name	2*	
Type Model No.		
Diam. Slot Size Set from ft. to ft.		
Diam. Slot Size Set from ft. to ft. On NAME TO SIGN Street Street Set from samount water level is lowered		
(8) WELL TESTS: below static level		
s a pump test made? ☐ Yes 🕏 No If yes, by whom?		
gal/min. with ft. drawdown after hrs.		
<i>II</i>		
Air test 300 gal./min. with drill stem at 500 ft. / hrs.		
Bailer test gal/min. with ft. drawdown after hrs.		
tesian flow g.p.m.		
Temperature of water Depth artesian flow encountered ft.	Work started 4-26 19 82 Completed 4-30 19 82	
(9) CONSTRUCTION: Special standards: Yes □ No 🕏	Date well drilling machine moved off of well 4-30 19 82	
Well seal—Material used Sement	Drilling Machine Operator's Certification:	
Well sealed from land surface to 23 ft.	This well was constructed under my direct supervision. Materials used	
Diameter of well bore to bottom of sealin.	and information reported above are true to may best knowledge and helief.	
Diameter of well bore below sealin.	[Signed] James Select Date 5-13, 1982	
Number of sacks of cement used in well seal 2.8. sacks	(Drilling Machine Operator) Drilling Machine Operator's License No. 64.5	
How was cement grout placed? Placed by trems pipe		
from to Clam to top of oversized thele hale	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction and this report is true to	
Was pump installed?	t. the best of my knowledge and belief.	
Was a drive shoe used? ✓ Yes □ No Plugs Size: location ft.	(Type or print)	
Did any strata contain unusable water? ☐ Yes Mo Type of Water? depth of strata	- Address 900 HERMISTON AVE, HERMISTON OP.	
Type of Water? depth of strata Method of sealing strata off	[Signed] Josef Griffin	
Was well gravel packed? Yes No Size of gravel:	(Water Well Contractor)	
Gravel placed from	Contractor's License No. 65 Date 5-13 , 1982	
TOTAL		