NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

## WATER WELL REPORT STATE OF OREGON

(Please type or print)

(Do not write above this line)

51/28E-27ad

....SP\*45656-119

1	Diane	AA CIT 14	J. C.Z	<i></i>	********	ک	 
	State	Permit	No.				

(1) OWNER:	(10) I OCATION OF THE				
Name Ropart J. Gettle	(10) LOCATION OF WELL:				
Address Rt 2 Box 2727, Hemiston, Ore	County 4 Ma f 1/18 Driller's well number 170				
9987	LE 14 NE 14 Section 27 T. 5N R. 28E. W.M.				
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner				
New Well Deepening Reconditioning Abandon	980 west & 840' North of the				
If abandonment, describe material and procedure in Item 12.	Site Corner of the N.E. 1/4				
	(11) WATER LEVEL: Completed well.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ALL C				
Domestic Industrial Municipal	1				
D ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Static level 4, - ft. below land surface. Date unels				
(5) CASING INSTALLED: Threaded 51 Wester 17	Artesian pressure NoNE lbs. per square inch. Date June 3				
"Diam. from £/. 5 ft. to 42.5 ft. Gage 250	(19) WEIT T TOO				
Blam from the to the ft. Gage, 230	Denth drilled 102 P				
"Diam from ft. Gage ft. Gage					
" Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each characteristics.				
(6) PERFORATIONS: Perforated?   Yes No.					
Type of perforator used	position of Static Water Level and indicate principal water-bearing strata.				
	MATERIAL From To SWL				
	Sendy Silt Top Sail O. 0 8.0				
perforations from	Comented sond & gravels 8,2				
perforations fromft. toft.	and Copples 19.0				
± v	Sand & grave 15 18: 32,0				
(7) SCREENS: Well screen installed? ☐ Yes > No	77/40 C/ay 37.0				
Manufacturer's Name	Black basolt, Hard 39. 0142 5- 44				
Type Model No.	1776 Gray Besalt 1920177.0 }				
Siot size Set from ft. to ft	210 137 CC/d 177. 185. 24				
Diam. Slot size Set from ft. to ft.	200				
(8) WELL TESTS: Drawdown is amount water level is	DECEIVED				
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	NEULIVED				
a pump test made?   Yes No If yes, by whom?	JUN 20 1980				
Yield: 75 gal./min/Sith 700 ft. drawdown after //2 hrs.					
" " " " " " " " " " " " " " " " " " " "	WATER RESOURCES DEPT				
" " The same of th	SALEM, OREGON				
er test  gal/min, with  tt. drawdown after hrs,					
Office .					
Temperature of water Depth artesian flow encountered Wall tt.	Work started June 11 1980 Completed June 13 1980				
(9) CONSTRUCTION:	Date well drilling machine moved off of well f				
Well seal-Material used Com enf Grouf	VIII V				
Well sealed from land surface to 42, 5	Drilling Machine Operator's Certification:				
Diameter of well bore to bottom of seal 10 1/4 /2 200- 8 1/042.5	This well was constructed under my direct supervision.  Materials used and information reported above are true to my				
Diameter of well bore below sealin.	best knowledge and belief.				
Number of sacks of cement used in well real	[Signed] Date Une 14, 19 80				
How was cement grout placed? Tremmied grout	Drilling Machine Operator's License No.				
into Annular space Alsa inside 6"	Diaming Machine Operator's License No.				
and pressure grouted shoe	Water Well Contractor's Certification:				
Willed surface casing & Filled to tow.	This well was drilled under my jurisdiction and this report is				
Was a drive shoe used? Yes □ No Plugs L Size: location ft.	true to the best of my knowledge and belief.				
Did any strata contain unusable water?   Yes No	Name Erown & Brown Brilling Co.				
Type of water? depth of strata	(Person, firm or corporation) (Type or print)				
Method of sealing strata off	Address 10. Dex 124 Hermisten, Oregan				
Was well grovel poster to Tar	[Signed] John L Brown 97838				
Size of gravel:	(Water Well Contractor)				
Gravel placed from ft. to ft.	Contractor's License No. 5 162 Dates William 166				

(USE ADDITIONAL SHEETS IF NECESSARY)