

RECEIVED

UMAT 3598

5N/28-34

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.
STATE ENGINEER SALEM, OREGON
WATER WELL REPORT
OCT 22 1962
STATE OF OREGON
Please type or print)

State Well No.
State Permit No.

(1) OWNER:
Name Northhill Water Corp.
Address Hermiston Oregon

(2) LOCATION OF WELL:
County Umatilla Driller's well number
1/4 1/4 Section 34 T. 5N R. 28E W.M.
Bearing and distance from section or subdivision corner
West 10 feet of Lot 20 Block 1
Trotts Acres

(3) TYPE OF WORK (check):
New Well [X] Deepening [] Reconditioning [] Abandon []
Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):
Domestic [] Industrial [] Municipal [X]
Irrigation [] Test Well [] Other []
(5) TYPE OF WELL:
Rotary [] Driven []
Cable [X] Jetted []
Dug [] Bored []

(6) CASING INSTALLED:
Threaded [] Welded []
8" Diam. from 0 ft. to 143 ft. Gage
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(7) PERFORATIONS:
Perforated? [] Yes [X] No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(8) SCREENS:
Well screen installed [] Yes [X] No
Manufacturer's Name
Type Model No.
Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:
Well seal—Material used in seal
Depth of seal ft. Was a packer used?
Diameter of well bore to bottom of seal in.
Were any loose strata cemented off? [] Yes [X] No Depth
Was a drive shoe used? [X] Yes [] No
Was well gravel packed? [] Yes [] No Size of gravel:
Gravel placed from ft. to ft.
Did any strata contain unusable water? [] Yes [X] No
Type of water? Depth of strata
Method of sealing strata off

(10) WATER LEVELS:
Static level 84 ft. below land surface Date
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:
Drawdown is amount water level is lowered below static level
Was a pump test made? [] Yes [X] No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " "
" " " "
Baller test 30 gal./min. with 7 ft. drawdown after 1 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? [] Yes [] No

(12) WELL LOG:
Diameter of well below casing 8"
Depth drilled 340 ft. Depth of completed well 340 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns: MATERIAL, FROM, TO. Rows include Sand, Blue clay, Black rock, Gray rock, Black rock, Gray rock, Black rock, Soft black rock, Blue shale, Soft red rock, Black rock.

Work started 8-20 1962 Completed 9-25 1962
Date well drilling machine moved off of well 9-26 1962

(13) PUMP:
Manufacturer's Name
Type: H.P.

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME TROY GRIFFIN
Address 881 HERMISTON AVE. HERMISTON
Drilling Machine Operator's License No. 15
[Signed] Troy Griffin
Contractor's License No. 65 Date 9-26, 1962