NOTICE TO WATER WELL CAT COR The original and first copy of this epole. WATER WE	RECEIVED	1.122 20	١
WATER RESOURCES DEPARAMENT STATE OF SALEM, OREGON 97310 (Pleas to within 30 days from the date.)	OREGONAUG 10 1978 State Well No.	n 33e-08c	<i>.</i>
(1) OWNER: Name ANDERSON LAND+LIVES FORG	(10) LOCATION OF WELL: County //M27/LL/A Driller's well number		
Address PILOT ROCK ORE	Sto Ni Su & Section 28 T. IN	R. 33/2 W.M.	منتث
	Bearing and distance from section or subdivisi		15
(2) TYPE OF WORK (check):			
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐ If abandonment, describe material and procedure in Item 12.			
	(11) WATER LEVEL: Completed w	ell.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 143 ft.		
Cable	Static level 90 ft. below land surface. Date		
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date		
CASING INSTALLED: Threaded Welded S " Diam from +2 ft to -18 ft Gage 250 Threaded Threaded Welded Threaded Welded Threaded Threaded Welded Threaded Threaded Threaded Threaded Threaded Threaded Welded Threaded Thread	(12) WELL LOG: Diameter of well to Depth drilled 4/20 ft. Depth of complete	* * *	
"Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size	and structure of materials;	
PERFORATIONS: Perforated? Yes	and show thickness and nature of each stratu with at least one entry for each change of forma position of Static Water Level and indicate prin	tion. Report each change in	
Type of perforator used	MATERIAL	From To SWL	
Size of perforations in. by in.	Soil	0 2	
perforations from ft. to ft.	BASALT BLOCK	2 /00	_
perforations fromft. toft.	4 Black Titl City	100 120	
perforations from ft. to ft.	BROWN W PECC	120 143	
(7) SCREENS: Well screen installed? Yes FNo	" Black	177 230	
Manufacturer's Name	il Black W/78LC	230 240	
Type Model No.	" Bleck	240 265	
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.	" ReD + Black	265 380 150	-
Ti. to	" BROWN W TELC	380 415 2000	>
(8) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes \(\subseteq \) No. If yes, by whom? Oallo,	Black	415 420	
Kield: 200 gal./min. with 230ft. drawdown after / hrs.		-	
" " " " "			
11 11 11 11			=.
Bailer test gal./min. with ft. drawdown after hrs.	*		
Artesian flow g.p.m.	<u> </u>		T: T-
perature of water 60 Depth artesian flow encountered ft.	75		
	Work started 7-15 1978 Complete		
(9) CONSTRUCTION:	Date well drilling machine moved off of well	7-18 1978	
Well seal—Material used PORTLIND CONONT Well sealed from land surface to ft. Diameter of well bore to bottom of seal 12 14 in.	Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my		
Diameter of well bore below seal 77/8 in.	best knowledge and belief.	Date 7-18 19.28	
Number of sacks of cement used in well sealsacks	(Prilling Machine Operator)		
How was cement grout placed? Coraulty	Drilling Machine Operator's License No.	933	= /.
	Water Well Contractor's Certification:	- Tage (Time and a section of the provided in the section of the	
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? Yes No Plugs Size: location ft.	Name Lang Burd Well Drilling		
Did any strata contain unusable water? Yes No	(Person, firm or corporation)	(Type or print)	
Type of water? depth of strata	Address Findlalon C	<u> </u>	
Method of sealing strata off	[Signed] Jon Burd	\$\dagge\tau \tau \tau \tau \tau \tau \tau \tau	<u></u>
Was well gravel packed? Tyes I No Size of gravel:	(Water Well Contra	•	
Gravel placed from ft. to ft.	Contractor's License No. 544 Date	7-18 , 1978	