NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

within 30 days from the date of well completion.

## WATER WELL REPORT are to be filed with the WATER RESOURCES DEPARTMENT RECEIVED OF OREGON SALEM, OREGON 97310 (Please type or print)

7 100760t write above this line)

State Well No. 5N/29E -29Cb State Permit No. .....

(1) OWNER: WATER RESOURCES DEP	(10) LOCATION OF WELL:
Name Von die Moss SALEM. OREGON	County Um atilla Driller's well number
Address Rt3 BW 3836	Mul v 11/40 11 20 - 100
Hermiston Oregon 97838	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner  Westurnd Track Z
New Well Deepening  Reconditioning  Abandon	Westown Macs L
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	
Rotary Driven Domestic N Industrial D Municipal D	Depth at which water was first found 3/
Cable	To some Surface. But / //-//
	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing
6" Diam. from +1 ft. to 58 ft. Gage .250	Depth drilled 58 ft. Depth of completed well 5% ft.
"Diam from ft. to ft. Gage ft. Gage	Formation: Describe color, texture, grain size and structure of materials;
	and show thickness and nature of each stratum and aquifer penetrated
Perforated? ☐ Yes > No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	Sand 0 31
perforations fromft. toft.	Gravel + sand 31 38
perforations from ft. to ft.	Sand 38 49
perforations fromft. toft.	Grand 49 58 W.B.
(E) CODEDIO	7. 3 0.5.
(7) SCREENS: Well screen installed? ☐ Yes X No	
Manufacturer's Name	
Type	
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? [] Yes, [X] No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" " " "	
" " "	
AB. Jan	
Andread	
	116 116 116
perature of water Depth artesian flow encountered ft.	Work started 4-19 19 79 Completed 4-19 19 79
(9) CONSTRUCTION;	Date well drilling machine moved off of well 4-19 1979
Well seal—Material used Cennunt	Drilling Machine Operator's Certification:
Well sealed from land surface to 20	This well was constructed under my direct supervision.
Diameter of well bore to bottom of sealin.	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal	[Signed] Agnalo V Uvono Date 4-20, 1979
Number of sacks of cement used in well seal 3 sacks	(Drilling Machine Operator)
Pipe from botton to lop to obusined	Drilling Machine Operator's License No. 1210
christo had a to school as	Water Well Contractor's Certification:
withdrawn:	This well was drilled under my jurisdiction and this report is
Was a drive shoe used? ▼Yes □ No Plugs Size: location ft.	true to the best of my knowledge and belief.
Did any strata contain unusable water?   Yes   No	Name TROY GRIFFIN  (Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address 900 HERM ISTOM AVE, HERM ISTOM ORK
Method of sealing strata off	THE
	[Signed] & roy Graffin
Was well gravel packed?  Yes No Size of gravel:	(Water Well Contractor)  Contractor's License No. 65 Date 4-20 10 79
It. 10 ft.	Contractor's License No. 65 Date 4-20 19 19