NOTICE TO WATER WELL CONTRACTOR The original and first copy of this resort are to be filed with like the contractor of t

STATE OF OREGON

State Permit No.

WATER RESOURCES DEPARTMENT 61977

SALEM, OREGON 97310 UCT 61977

Within 30 days from the date of well completion ER RESOURCES DEPonot write above this line)

SALEM OFFICE	/ UNIA I
(1) OWNER:	(10) LOCATION OF WELL: 3973
Name QUINTON RUGG	County UMATILL B Driller's well number
Address ATHENA ORC	W/2 14 NW 14 Section 26 T. 5N R. 35 E W.M.
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found SCE PREVIOUS LCGft.
Rotary Driven Domestic Industrial Municipal Cable Jetted	Static level ft. below land surface. Date
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded the Gage the Ga	(12) WELL LOG: Diameter of well below casing
"Diam from ft. to ft. Gage ft. Gage	Depth drilled ft. Depth of completed well ft.
	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated.
(Perforated? ☐ Yes Pro.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	BASALT 16" TO APPROX 500
perforations from ft. to ft.	7.
perforations from ft. to ft.	12" TO 1025"
perforations from ft. to ft.	Cleaned OUT HOLE TO
(7) SCREENS: Well screen installed? Yes Yes	CLEANED OUT HOLE TO
Manufacturer's Name	1023
TypeModel No.	DRILLED AS TIGHT 12"
Diam Slot size Set from ft. to ft.	HOLE FROM ABOUT 500 TO 1025'
Diam Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	ANY Where
Was a pump test made? ☐ Yes 💆 No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" " " " " " " " " " " " " " " " " " "	
" " "	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
Therature of water Depth artesian flow encountered	Work started 5-6 1977 Completed 5-9 1977
(9) CONSTRUCTION:	Date well drilling machine moved off of well 5-9 1977
Well seal—Material used	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision.
Diameter of well bore to bottom of sealin.	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal in.	[Signed] Yang Bund Date 5-16, 1977
Number of sacks of cement used in well seal sacks	(Dyfiling Machine Operator)
How was cement grout placed?	Drilling Machine Operator's License No. 933
THE PROPERTY OF THE PROPERTY O	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? [] Yes [No Plugs Size: location ft.	Name LERRY BURD WELL DRILLING
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address 5543 Su Auchs DR Pewplerer of
Method of sealing strata off	[Signed] Gang Burg!
Was well gravel packed? [] Yes [No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 544 Date 5-15, 19.77