ORIGINAL JUN 29 19 WATER WELL DRILL	LERS REPORT Do Not state Well No. 6N/33-24 All)
Duplicate with the STATE ENGINEER STATE OF OR SALEM, OREGON	
(1) OWNER: LALEN, OREGON	(10) WELL TESTS: 4076
Name J.L Geyer	Was a pump test made? X Yes \(\subseteq No \) If yes, by whom?
Address 214 SUNNY Dr.	Yield: gal./min. with ft. draw down after hrs.
COLLEGE PLACE Wash.	"/ah/) " 99 " /a "
College place, wasu.	<u>""" """ """ """ """ """ """ """ """ ""</u>
(2) LOCATION OF WELL: application	Artesian flowg.p.m.
County Haralilla Owner's number if any 5-180	Shut-in pressurelbs, per square inch.
R. F. D. or Street No.	Bailer test g.p.m. with ft. drawdown
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made? Yes No
5, 44 00 W 1305 from NE corner 1202	Was electric log made of well? 🗆 Yes 💆 No
TIN PAFILM	(11) WELL LOG:
16/11/11 33 L.W.//	14
(3) TYPE OF WORK (check):	Diameter of well,
New well Deepening Reconditioning Abandon	
abandonment, describe material and procedure in Item 11.	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
(4) PROPOSED USE (check): (5) EQUIPMENT:	ft. to ft.
Domestic ☐ Industrial ☐ Municipal ☐ Rotary ☐	0 " 56 " top soil
Traingation of Test Well Cother Cable	56" 93 " Clay + Barrel.
	93" 98 " Gravel
CASING INSTALLED: If gravel packed	98" 128" Clay & Daguel
Threaded □ Welded X Gage	128" 130 " Sticky Clay
or Diameter from to FROM ft. to ft. Diam. Wall of Bore ft. ft.	130" 195 " Cenjent Shavel
"O "//5" "/2" It! " "	195" 198" Clay
"//0" /55" "/0" "" "	198" 218 " Sand & Grant
"155" 196" "10" 00."10 " "	218 2 23 Stratey Clay
"196" 250" "8" St. " "	231"4 =0 " Alad
" " " " " " " " " " " " " " " " " " "	036 "2 3 0 " Cray
Type and size of shoe or well ring Size of gravel: Describe joint))))
Describe John Majo	"
(7) PERFORATIONS:	"
Type of perforator used Catyline Torchy	"
SIZE of perforations 5 in., length, by // in.	n n
FROM/40t. to 250 ft. 4 perf per foot 4 No. of rows	77 77 Annual Ann
y))))
12 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 12
Dita de al Marie well "in liveril"	" "
SCREENS:	27 17
Give Manufacturer's Name, Model No. and Size	. 17 19
	3) 3) 3)
(8) CONSTRUCTION:	17 11
Was a surface sanitary seal provided? Yes No To what depth ft.	12 23
Were any strata sealed against pollution? Yes No If yes, note depth of strata	Ground elevation at well sitefeet above mean sea level.
FROM ft. to ft.	Work started fan. 12 1936 Completed March 7 1956
11 11 11	Well Driller's Statement:
METHOD OF SEALING	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
	NAME HEITSTUMAN Bros.
(9) WATER LEVELS:	NAME // E/LSLUM d // JJ / J, (Person, firm, or corporation) (Typed or printed)
Depth at which water was first found ft. Standing level before perforating 43 ft.	Address MILTON-FREEWATEL ORES
	Driller's well number
	Oll THE
[Signed] J. D. Huyu Dated Chr 2, 1956	[Signed] (Well Driller)
[Signed] Dated 700, 19	License No. 176 Dated Office 1956
N I	