File Original and First Copy with the STATE OFFICEN,

JAN 2 0 1960 WATER WELL REPORT

UMAT 4996

Appl. G-1658

SALEM, OREGON			
(1) OWNER: Name Kenneth Dickerson	(11) WELL TESTS: Drawdown is amount we lowered below static level.	ater level is elDriller	
Address R.F.D. #1	Was a pump test made? 🚂 Yes 📋 No If yes, by whom:	?	 :
Walla Walla, Washington	yield: 300 gal./min. with 50 ft. drawdown	after T hr	<u>s.</u>
HOLLA HOLLAY HODELIAS OUT)		-
(2) LOCATION OF WELL:			
County Variatifia Owner's number, if any	Bailer test gal./min. with ft. drawdown	after hr	š
NW 14 5E 14 Section 15 T. GN R. 34E W.M.	Artesian flow g.p.m. Date		<u> </u>
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made	de? 🗌 Yes 🔲 N	≗
N 30° 38' W 2598.6 St Som	(12) WELL LOG: Diameter of well	8 inches	5.
SE Corner of Sec 15	Depth drilled 225 ft. Depth of completed we		t.
	ten les J		đ.
	Formation: Describe by color, character, size of material show thickness of aquifers and the kind and nature of the stratum penetrated, with at least one entry for each ch	re material in eac ange of formation	п 1.
	MATERIAL	FROM TO	_
(9) MYDE OF WORK (about).	Dirt	0 32	
(3) TYPE OF WORK (check):		32 120	_
New Well Deepening Reconditioning Abandon Capacitan Abandon Capacitan Reconditioning Recondition		120 128	
a dantonment, describe material and procedure in view 11.		128 140	
PROPOSED USE (check): (5) TYPE OF WELL:		140 170	_
Domestic Industrial Municipal Rotary Driven		170 195	_
Irrigation Test Well Other Dug Bored		195 225	_
Dug [] Boted []	Cement_Gravel	رعم رود	
(6) CASING INSTALLED: Threaded ₩ Welded □			
(6) CASING INSTALLED: Threaded Welded TO TO Tt. to To Gage			_
"Diam. from			
" Diam. from ft. to ft. Gage			_
(7) PERFORATIONS: Perforated? Yes No			_
Type of perforator used Torch			
SIZE of perforations 3/8 in. by 8 in.			
O perforations from 68 ft. to ft.	-		
perforations from			
perforations fromft. toft.			
perforations fromft. toft.			
perforations fromft. toft.			
(8) SCREENS: Well screen installed Yes No			_
Manufacturer's Name			<u> </u>
Type Model No			_
Slot size	<u> </u>	1	
Diam. Slot size Set from ft. to ft.	Work started 12/10 1950. Completed 1/	/15 19 5	<u>5</u> 1
(9) CONSTRUCTION:	(13) PUMP:		
Was well gravel packed? Yes No Size of gravel:	Manufacturer's Name Byron & Jackson		
Gravel placed fromft. toft.	Type: Turbine H.P.		
Was a surface seal provided? Yes No To what depth? ft.	Type: "AMA.M.AMA	1.F	_
Material used in seal—	Well Driller's Statement:		
Did any strata contain unusable water? 🗌 Yes 🔲 No	This well was drilled under my jurisdiction a	and this report	is
Type of water? Depth of strata	true to the best of my knowledge and belief.	-	
Method of sealing strata off	NAME Raymond R. Harding		
(40) YHAMED I EYELG	NAME (Person, firm, or corporation) (Type or print)		
(10) WATER LEVELS:	Address 1064 St. John St. Walls	a Walla, J	٧n
Static level 25 ft. below land surface Date 2/10/51			
Artesian pressure lbs. per square inch Date	Driller's well number		
Log Accepted by:	[Signed] Signed Masters		
[Signed] Date 19	(Well Driller)	0 -	_
[Signed] Date, 19	License No. 245	, 19.60)