filed with the UCT 16 1967	ELL REPORT, FOREGON STATE WALL NO	6N/35-15U	
within 30 days from the date of well completion.	above this line) 0V 6 1967  STATE ENGINEER Fermit No.		
(1) OWNER: Name PETE KESSLER	(11) LOCATION OF WELL:  County UMATINA Driller's well nu	(4249)	
Address RFD 3 MITTON FREEWATER	NE-1, 14 S. F 14 Section 15 T. 6	R. 3 5 W.M.	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner		
New Well   Deepening □ Reconditioning □ Abandon □	324 ft south of the 9. E. Corner and		
If abandonment, describe material and procedure in Item 12.	20 West of Winesays Road		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(19) TWEET LOC		
Rotary Driven Domestic Industrial Municipal Domestic	Depth drilled / 8.5 ft. Depth of completed well / 9.5 ft.		
Dug ☐ Bored ☐ Irrigation ☒ Test Well ☐ Other ☐	7.9.9		
CASING INSTALLED: Threaded Welded W	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.		
" Diam. fromft. toft. Gage	MATERIAL		
" Diam, fromft. toft. Gage	LOOSE GRAVEL	o /o	
PERFORATIONS: Perforated 1. 12 Yes   No.	CEMENTEDGRAVEL	10 48	
Type of perforator used Cutting Torch	GRAVEL-WATER BEARING	H8 55	
Size of perforations 9 th. by in.	GRAVEL. SOME BROWN CLAY	55 96 34	
80 perforations from #D ft. to 76 ft.	BROWN CLAY	96 107 74	
perforations fromft. toft.	BRAVEL - WATER BEARING BRAVEL - WITHSOME B.CLAY	110 110 34	
perforations fromft. toft.	1 53 65	173 185 34	
perforations from ft. to ft.		73 733 37	
perforations from ft. to ft.			
(7) SCREENS: Well screen installed?   Yes   No			
Manufacturer's Name			
Diam. Slot size Set from ft. to ft.		- · · · · · · · · · · · · · · · · · · ·	
Diam. Slot size Set from ft. to ft.	(AFF		
(8) WATER LEVEL: Completed well.			
Static level 3 4 ft. below land surface Date 9/7/67	***************************************	1 22	
ian pressure Ibs. per square inch Date			
The state of the s			
lowered below static level			
Was a pump test made? Yes No If yes, by whom? CONTRCTOR	Wash start 4 9 / D a		
Yield: 130 gal./min. with #0 ft. drawdown after 6 hrs.	Work started 3 9 1967 Completed	4 9 / 15 1967	
" I I I	Date well drilling machine moved off of well 4	19 67	
Bailer test gal/min with # drawdown effect has	Drilling Machine Operator's Certification: This well was constructed under my directions.	oot ormovisies. 35-4-	
Antonio di	rials used and information reported above knowledge and belief.	ect supervision. Mate- e are true to my best	
Control of the contro	$Q_{-}$ $Q_{-}$	9/10 10	
g y made:   Tes   140	[Signed] Augusta Clin Control D	Date 1.3, 1967.	
(10) CONSTRUCTION:	Drilling Machine Operator's License No	150	
Well seal—Material used BENTOMITE + DRINING CUTTI) Depth of seal 40 ET	THE DRIVE CO. IT I A		
Diameter of well bore to bottom of sealin	tt. Water Well Contractor's Certification:		
Were any loose strata cemented off?  Yes No Depth	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used?   Д Yes □ No	NAME HARDING DRILLING CO (Person, firm or corporation) (Type or print)		
Did any strata contain unusable water?   Yes No		· ·	
ype of water? depth of strata Address ID LH ST. JOHNSI: WAILA WASH			
Method of sealing strata off [Signed] Raymond Harling			
Was well gravel packed? ☐ Yes 🕅 No Size of gravel:	Water Well Contracto	7	
Gravel placed from ft. to ft.	Contractor's License No. 245 Date 7/1	1967	